


TRATION

BICYCLE COMPANY



DESIGNED FOR FUN - ENGINEERED TO PARTY

20
19

THE 2019 LINEUP

FBG
SPEED BALANCED GEOMETRY

MORE CONFIDENCE
MORE CONTROL
MORE PARTY

TR11
27.5" WHEELS
195MM REAR / 200MM FRONT
CARBON



TR11

SENTINEL
29" WHEELS
140MM REAR / 160MM FRONT
CARBON OR ALLOY



SENTINEL

PATROL
27.5" WHEELS
160MM REAR / 170MM FRONT
CARBON OR ALLOY



PATROL

SCOUT
27.5" WHEELS
130MM REAR / 150MM FRONT
ALLOY



SCOUT

SMUGGLER
29" WHEELS
120MM REAR / 140MM FRONT
CARBON



SMUGGLER

VANQUISH
29" WHEELS
120MM FRONT
CARBON



VANQUISH

THROTTLE
27.5" WHEELS
140MM FRONT
CARBON



THROTTLE

RIPCORD
24" WHEELS
100MM REAR / 100MM FRONT
ALLOY



RIPCORD

PBJ
26" WHEELS
100MM FRONT
CHROMOLY



PBJ

TECH & GEOMETRY



TECH & GEO

TRANSITION
BICYCLE COMPANY

TR11 CARBON

27.5" WHEELS
195MM REAR / 200MM FRONT

COLORI DISPONIBILI:

TR BLUE

BLACK POWDER

TAGLIE: S / M / L / XL



TELAIO: 3499€

La bicicletta della campionessa Tahnee Seagrave che con tre vittorie nella coppa di Downhill 2018 e il titolo di vicecampionessa del Mondo è la star del momento. Un prodotto che può soddisfare il racer più esigente ma regala semplicità di guida ed emozioni forti anche al rider medio.

FRAME & TECH INFO	
FORK AXLE TO CROWN	581-586 mm
FORK OFFSET	48-52 mm
REAR SHOCK SIZE	222mm x 70mm
REAR SHOCK HARDWARE	21.8mm x 8mm Top & Bottom
HEADSET	44mm Zero Stack (Top) / 56mm Zero Stack (Bottom)
BOTTOM BRACKET	83mm BSA Threaded
REAR BRAKE	160mm Post Mount
REAR AXLE	Syntaxe X12 157
FRONT DERAILLEUR	No Support
ISCG TABS	ISCG05
SEATPOST DIAMETER	31.6mm
MAX SEATPOST INSERTION	170 mm
SEAT CLAMP	37mm
MAXIMUM CHAINRING	38t
MAXIMUM TIRE	27.5 x 2.5
SAG SETUP	18-23mm (25-33%)
FRAME WEIGHT	(Medium with Shock/Axle/Hardware) 4.18 kg

TELAIO VENDUTO CON AMMORTIZZATORE: Fox DHX2 Factory



X01



GX

	TR11 CARBON X01	TR11 CARBON GX
	7499€	5499€
TELAIO	TR11 Carbon 195mm Rear/200mm Front	TR11 Carbon 195mm Rear/200mm Front
AMMORTIZZATORE	Fox DHX2 Factory	Fox DHX2 Factory
FORCELLA	Fox 40 Float RC2 Performance Elite 203mm	RockShox Boxer RC 200mm
SERIE STERZO	Cane Creek 40 Series	FSA No57E
ATTACCO	RaceFace Atlas DM	RaceFace Chester DM
MANUBRIO	RaceFace Atlas 35 (800mm x 35mm)	RaceFace Chester 35 (780mm x 35mm)
MANUBRIO	ODI Elite Flow	Velo Single Clamp
MANOPOLE	ANVL Sculpt Cromo	ANVL Sculpt Cromo
SELLA	Thomson Elite	JD SP66
REGGISSELLA	SRAM Code RSC	SRAM Code R
FRENI	SRAM Centerline	SRAM Centerline
DISCHI FRENI	SRAM XO1 DH	SRAM GX DH
COMANDO CAMBIO	SRAM XO1 DH	SRAM GX DH
CAMBIO	E*Thirteen 7sp Integrated (9-21t)	PG 720 (11-25t)
PACCO PIGNONI	SRAM PC X1	SRAM PC 1110
CATENA	RaceFace SixC (32t, 165mm)	RaceFace Atlas (36t, 165mm)
GUARNITURA	E*Thirteen LG1+	E*Thirteen LG1 Rims/Novatec DH61SB & DH82SB Hubs
RUOTE	Maxxis Minion DHF 3C Maxx Grip DH (27.5x2.5)	Maxxis Minion DHF 3C Super Tacky DH (27.5x2.5)
PNEUMATICO ANT	Maxxis Minion DHF 3C Maxx Grip DH (27.5x2.4)	Maxxis Minion DHF 3C Super Tacky DH (27.5x2.4)
PNEUMATICO POST		

* LE SPECIFICHE DI MONTAGGIO POSSONO VARIARE SENZA PREAVVISO. PER CONSULTARE I KIT DI MONTAGGIO AGGIORNATI VISITA IL SITO WWW.TRANSITIONBIKES.COM

SENTINEL CARBON

29" WHEELS
140MM REAR / 160MM FRONT

COLORI DISPONIBILI:

GUNMETAL GRAY

PINOT NOIR

TAGLIE: S / M / L / XL



TELAIO: 3099€

Se volete una bici estremamente capace ma al contempo rapida e maneggevole la SENTINEL è ciò che fa per voi: con i suoi 140mm di escursione posteriore e 160mm all'anteriore, risulta estremamente piacevole da pedalare ma in discesa si trasforma garantendo grande sicurezza e divertimento.

FRAME & TECH INFO	
FORK AXLE TO CROWN	571 mm
FORK OFFSET	42mm (Rockshox) / 44mm (Fox)
REAR SHOCK SIZE	205mm X 575mm
REAR SHOCK HARDWARE	Trunion Mount Top / 25mm x 8mm Bottom
HEADSET	44mm Zero Stack (Top) / 56mm Zero Stack (Bottom)
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	180mm Post Mount
REAR AXLE	Syntaxe X12 148
FRONT DERAILLEUR	No Support
ISCG TABS	ISCG05
SEATPOST DIAMETER	31.6mm
MAX SEATPOST INSERTION	Small 190mm, Medium 225mm, Large 245mm, XL 245mm
SEAT CLAMP	Carbon 37mm
MAXIMUM CHAINRING	34t
MAXIMUM TIRE	29 x 2.5
SAG SETUP	18-20mm (32-35%)
FRAME WEIGHT	(Medium with Shock/Axle/Hardware) Carbon 3.2 Kg

TELAIO VENDUTO CON AMMORTIZZATORE: Fox DPX2 Performance Elite



X01



GX



NX

	SENTINEL CARBON X01	SENTINEL CARBON GX	SENTINEL CARBON NX
	6499€	5399€	4499€
TELAIO	Sentinel Carbon 140mm Rear 160mm Front	Sentinel Carbon 140mm Rear 160mm Front	Sentinel Carbon 140mm Rear 160mm Front
AMMORTIZZATORE	Fox DPX2 Performance Elite	Fox DPX2 Performance	RockShox Deluxe RT
FORCELLA	Fox 36 Grip 2 Performance Elite 160mm	Fox 36 Grip Performance 160mm	Rockshox Yari RC Charger Damper 160mm
SERIE STERZO	Cane Creek 40Series	FSA No.57E	FSA No.57E
ATTACCO MANUBRIO	ANVL Swage (40mm)	RaceFace Aeffect R (40mm)	RaceFace Aeffect R (40mm)
MANUBRIO	ANVL Mandrel Alloy 35	RaceFace Chester 35	RaceFace Chester 35
	S/M 800x20mm	S/M 780x20mm	S/M 780x20mm
	L/XL 800x30mm	L/XL 780x35mm	L/XL 780x35mm
MANOPOLE	ODI Elite Flow	ODI Elite Flow	Velo VLG-1812D2
SELLA	ANVL Forge Ti	ANVL Forge Cromo	WTB Silverado Comp
REGGISELLA	RockShox Reverb Stealth 1x Remote	RockShox Reverb Stealth	KS Lev Integra
	SM (125mm)	SM (125mm)	SM (125mm)
	MD (150mm)	MD (150mm)	MD (150mm)
	LG/XL (170mm)	LG/XL (170mm)	LG/XL (170mm)
FRENI	SRAM Code RSC	SRAM Code R	SRAM Guide T
DISCHI FRENI	SRAM Centerline	SRAM Centerline	SRAM Centerline
COMANDO CAMBIO	SRAM XO1 Eagle	SRAM GX Eagle	SRAM NX Eagle
CAMBIO	SRAM XO1 Eagle	SRAM GX Eagle	SRAM NX Eagle
PACCO PIGNONI	SRAM XG 1275 (10-50t)	SRAM XG 1275 (10-50t)	SRAM PG 1230 (11-50t)
CATENA	SRAM GX Eagle	SRAM GX Eagle	SRAM NX Eagle
QUARNITURA	SRAM Descendent Carbon DUB (170mm x 30t)	SRAM Descendent 6K DUB (170mm x 30t)	SRAM NX Eagle DUB (170mm x 30t)
RUOTE	Stans Flow MK3 Team	Stans Flow S1 Comp	WTB STI29/Novatech
PNEUMATICO ANT	Maxxis Minion DHF 3C WT (29x2.5)	Maxxis Minion DHF 3C WT (29x2.5)	Maxxis Minion DHF Dual WT (29x2.5)
PNEUMATICO POST	Maxxis Minion DHF 3C WT (29x2.4)	Maxxis Minion DHF 3C WT (29x2.4)	Maxxis Minion DHF Dual WT (29x2.4)
PESO	13.83 kg	14.33 kg	14.42 kg

* LE SPECIFICHE DI MONTAGGIO POSSONO VARIARE SENZA PREAVVISO. PER CONSULTARE I KIT DI MONTAGGIO AGGIORNATI VISITA IL SITO WWW.TRANSITIONBIKES.COM

SENTINEL ALLOY

29" WHEELS
140MM REAR / 160MM FRONT

COLORI DISPONIBILI:

GUNMETAL GRAY

PINOT NOIR

TAGLIE: S / M / L / XL / XXL



TELAIO: 2099€

Telaio in alluminio per i rider che vogliono una bici solida e performante su qualsiasi terreno. Che siano sconosciuti sentieri alpini, hardcore trails o linee in bike park, la Sentinel Alloy saprà assecondarvi in ogni condizione e regalarvi il massimo divertimento.

FRAME & TECH INFO	
FORK AXLE TO CROWN	571 mm
FORK OFFSET	42mm (Rockshox) / 44mm (Fox)
REAR SHOCK SIZE	205mm X 57.5mm
REAR SHOCK HARDWARE	Trunion Mount Top / 25mm x 8mm Bottom
HEADSET	44mm Zero Stack (Top) / 56mm Zero Stack (Bottom)
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	180mm Post Mount
REAR AXLE	Syntaxe X12 148
FRONT DERAILLEUR	No Support
ISCG TABS	ISCG05
SEATPOST DIAMETER	31.6mm
MAX SEATPOST INSERTION	Small 190mm, Medium 230mm, Large 270mm XL/XXL 300mm Alloy 34.9mm
SEAT CLAMP	Alloy 34.9mm
MAXIMUM CHAINRING	34t
MAXIMUM TIRE	29 x 2.5
SAG SETUP	18-20mm (32-35%)
FRAME WEIGHT	(Medium with Shock/Axle/Hardware) Alloy 4.36 Kg

TELAIO VENDUTO CON AMMORTIZZATORE: Fox DPX2 Performance Elite



GX



NX

	SENTINEL ALLOY GX	SENTINEL ALLOY NX
	4699€	3399€
TELAIO	Sentinel Alloy 140mm Rear 160mm Front	Sentinel Alloy 140mm Rear 160mm Front
AMMORTIZZATORE	Fox DPX2 Performance Elite	RockShox Deluxe RT
FORCELLA	Fox 36 Grip 2 Performance Elite 160mm	Rockshox Yari RC Charger Damper 160mm
SERIE STERZO	FSA No57E	FSA No57E
ATTACCO	RaceFace Aeffect R (40mm)	RaceFace Aeffect R (40mm)
MANUBRIO	RaceFace Chester 35	RaceFace Chester 35
MANUBRIO	S/M 780x20mm L/XL/XXL 780x35mm	S/M 780x20mm L/XL/XXL 780x35mm
MANOPOLE	ODI Elite Flow	Velo VLG-1812D2
SELLA	ANVL Forge Cromo	WTB Silverado Comp
REGGISSELLA	RockShox Reverb Stealth 1x Remote SM (125mm) MD (150mm) LG/XL/XXL (170mm)	KS Lev Integra SM (125mm) MD (150mm) LG/XL (170mm)
FRENI	SRAM Code RSC	SRAM Guide T
DISCHI FRENI	SRAM Centerline	SRAM Centerline
COMANDO CAMBIO	SRAM GX Eagle	SRAM NX Eagle
CAMBIO	SRAM GX Eagle	SRAM NX Eagle
PACCO PIGNONI	SRAM XG 1275 (10-50t)	SRAM PG 1230 (11-50t)
CATENA	SRAM GX Eagle	SRAM NX Eagle
GUARNITURA	SRAM Descendent 7K DUB (170mm x 30t)	SRAM NX Eagle DUB (170mm x 30t)
RUOTE	Stans Flow S1 Team	WTB STI29/Novatech D791SB/D462SB
PNEUMATICO ANT	Maxxis Minion DHF 3C WT (29x2.5)	Maxxis Minion DHF Dual WT (29x2.5)
PNEUMATICO POST	Maxxis Minion DHRII 3C WT (29x2.4)	Maxxis Minion DHRII Dual WT (29x2.4)
PESO	15.31 kg	15.72 kg

* LE SPECIFICHE DI MONTAGGIO POSSONO VARIARE SENZA PREAVVISO. PER CONSULTARE I KIT DI MONTAGGIO AGGIORNATI VISITA IL SITO WWW.TRANSITIONBIKES.COM

PATROL CARBON

27.5" WHEELS
160MM REAR / 170MM FRONT

COLORI DISPONIBILI:

SAGEBRUSH GRAY

TR BLUE

TAGLIE: S / M / L / XL



TELAIO: 3099€

La tanto attesa Big Mountain in carbonio di casa Transition è finalmente arrivata! L'evoluzione naturale del vincente progetto Patrol si arricchisce dei vantaggi della Speed Balanced Geometry per un mix esplosivo di fruibilità e performance.

FRAME & TECH INFO	
FORK AXLE TO CROWN	562 mm
FORK OFFSET	37 mm
REAR SHOCK SIZE	205mm X 65mm
REAR SHOCK HARDWARE	Trunion Mount Top / 25mm x 8mm Bottom
HEADSET	44mm Zero Stack (Top) / 56mm Zero Stack (Bottom)
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	180mm Post Mount
REAR AXLE	Syntaxe X12 148
FRONT DERAILLEUR	No Support
ISCG TABS	ISCG05
SEATPOST DIAMETER	31.6mm
MAX SEATPOST INSERTION	Small 190mm, Medium 225mm, Large 245mm, XL 245mm
SEAT CLAMP	Carbon 37mm
MAXIMUM CHAINRING	34t
MAXIMUM TIRE	27.5 x 2.8
SAG SETUP	20-23mm (32-35%)
FRAME WEIGHT	(Medium with Shock/Axle/Hardware) Carbon 3.39 Kg

TELAIO VENDUTO CON AMMORTIZZATORE: Fox DPX2 Performance Elite



X01



GX



NX

	PATROL CARBON X01	PATROL CARBON GX	PATROL CARBON NX
	6499€	5399€	4499€
TELAIO	Patrol Carbon 160mm Rear 170mm Front	Patrol Carbon 160mm Rear 170mm Front	Patrol Carbon 160mm Rear 170mm Front
AMMORTIZZATORE	Fox DPX2 Performance Elite	Fox DPX2 Performance	RockShox Deluxe RT
FORCELLA	Fox 36 Grip 2 Performance Elite 170mm	Fox 36 Grip Performance 170mm	Rockshox Yari RC Charger Damper 170mm
SERIE STERZO	Cane Creek 40Series	FSA No.57E	FSA No.57E
ATTACCO MANUBRIO	ANVL Swage (40mm)	RaceFace Aeffect R (40mm)	RaceFace Aeffect R (40mm)
MANUBRIO	ANVL Mandrel Alloy 35 S 800x20mm M/L/XL 800x30mm	RaceFace Chester 35 S 780x20mm M/L/XL 780x35mm	RaceFace Chester 35 S 780x20mm M/L/XL 780x35mm
MANOPOLE	ODI Elite Flow	ODI Elite Flow	Velo VLG-1812D2
SELLA	ANVL Forge Ti	ANVL Forge Cromo	WTB Silverado Comp
REGGISELLA	RockShox Reverb Stealth 1x Remote S (125mm) M (150mm) L/XL (170mm)	RockShox Reverb Stealth S (125mm) M (150mm) L/XL (170mm)	KS Lev Integra S (125mm) M (150mm) L/XL (175mm)
FRENI	SRAM Code RSC	SRAM Code R	SRAM Guide T
DISCHI FRENI	SRAM Centerline	SRAM Centerline	SRAM Centerline
COMANDO CAMBIO	SRAM XO1 Eagle	SRAM GX Eagle	SRAM NX Eagle
CAMBIO	SRAM XO1 Eagle	SRAM GX Eagle	SRAM NX Eagle
PACCO PIGNONI	SRAM XG 1275 (10-50t)	SRAM XG 1275 (10-50t)	SRAM PG 1230 (11-50t)
CATENA	SRAM GX Eagle	SRAM GX Eagle	SRAM NX Eagle
GUARNITURA	SRAM Descendent Carbon DUB (170mm x 30t)	SRAM Descendent 6K DUB (170mm x 30t)	SRAM NX Eagle DUB (170mm x 30t)
RUOTE	Stans Flow MK3 Team	Stans Flow S1 Comp	WTB STI29/Novatech D791SB/D462SB
PNEUMATICO ANT	Maxxis Minion DHF 3C WT (27.5x2.5)	Maxxis Minion DHF 3C WT (27.5x2.5)	Maxxis Minion DHF Dual WT (27.5x2.5)
PNEUMATICO POST	Maxxis Minion DHRII 3C WT (27.5x2.4)	Maxxis Minion DHRII 3C WT (27.5x2.4)	Maxxis Minion DHRII Dual WT (27.5x2.4)
PESO	13.73 kg	14.26 kg	14.41 kg

* LE SPECIFICHE DI MONTAGGIO POSSONO VARIARE SENZA PREAVVISO. PER CONSULTARE I KIT DI MONTAGGIO AGGIORNATI VISITA IL SITO WWW.TRANSITIONBIKES.COM

PATROL ALLOY

27.5" WHEELS
160MM REAR / 170MM FRONT

COLORI DISPONIBILI:

SAGEBRUSH GRAY

TR BLUE

TAGLIE: XS / S / M / L / XL



TELAIO: 2099€

La confidenza di una "Big mountain" con l'agilità di una trail bike. Una bici estremamente equilibrata e facile da guidare. Il sistema a quadrilatero garantisce grande trazione e efficienza di pedalata, anche con SAG elevati, e vi regalerà un bel sorriso ad ogni discesa. Per tutto il resto c'è l'SBG!

FRAME & TECH INFO	
FORK AXLE TO CROWN	562 mm
FORK OFFSET	37 mm
REAR SHOCK SIZE	205mm X 65mm
REAR SHOCK HARDWARE	Trunion Mount Top / 25mm x 8mm Bottom
HEADSET	44mm Zero Stack (Top) / 56mm Zero Stack (Bottom)
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	180mm Post Mount
REAR AXLE	Syntace X12 14/8
FRONT DERAILLEUR	No Support
ISCG TABS	ISCG05
SEATPOST DIAMETER	31.6mm
MAX SEATPOST INSERTION	XS 190mm, Small 190mm, Medium 230mm, Large 270mm, XL 300mm
SEAT CLAMP	Alloy 34.9mm
MAXIMUM CHAINRING	34t
MAXIMUM TIRE	27.5 x 2.8
SAG SETUP	20-23mm (32-35%)
FRAME WEIGHT	(Medium with Shock/Axle/Hardware) Alloy 4.3 Kg

FRAME SET: AMMORTIZZATORE Fox DPX2 Performance Elite



GX



NX

	PATROL ALLOY GX	PATROL ALLOY NX
	4699€	3399€
TELAIO	Patrol Alloy 160mm Rear 170mm Front	Sentinel Alloy 140mm Rear 160mm Front
AMMORTIZZATORE	Fox DPX2 Performance Elite	RockShox Deluxe RT
FORCELLA	Fox 36 Grip 2 Performance Elite 170mm	Rockshox Yari RC Charger Damper 170mm
SERIE STERZO	FSA No57E	FSA No57E
ATTACCO MANUBRIO	RaceFace Aeffect R (40mm)	RaceFace Aeffect R (40mm)
MANUBRIO	RaceFace Chester 35	RaceFace Chester 35
	XS 760 x 10mm	XS 760 x 10mm
	S/M 780x20mm	S/M 780x20mm
	L/XL 780x35mm	L/XL 780x35mm
MANOPOLE	ODI Elite Flow	Velo VLG-1812D2
SELLA	ANVL Forge Cromo	WTB Silverado Comp
REGGISELLA	RockShox Reverb Stealth 1x Remote	KS Lev Integra
	XS (100mm)	XS (100mm)
	S (125mm)	S (125mm)
	M (150mm)	M (150mm)
	L/XL (170mm)	L/XL (170mm)
FRENI	SRAM Code RSC	SRAM Guide T
DISCHI FRENI	SRAM Centerline	SRAM Centerline
COMANDO CAMBIO	SRAM GX Eagle	SRAM NX Eagle
CAMBIO	SRAM GX Eagle	SRAM NX Eagle
PACCO PIGNONI	SRAM XG 1275 (10-50t)	SRAM PG 1230 (11-50t)
CATENA	SRAM GX Eagle	SRAM NX Eagle
GUARNITURA	SRAM Descendent 7K DUB (170mm x 30t)	SRAM NX Eagle DUB (170mm x 30t)
RUOTE	Stans Flow S1 Team	WTB STi29/Novatech D791SB/D462SB
PNEUMATICO ANT	Maxxis Minion DHF 3C WT (27.5x2.5)	Maxxis Minion DHF Dual WT (27.5x2.5)
PNEUMATICO POST	Maxxis Minion DHR II 3C WT (27.5x2.4)	Maxxis Minion DHR II Dual WT (27.5x2.4)
PESO	15.05 kg	15.33 kg

* LE SPECIFICHE DI MONTAGGIO POSSONO VARIARE SENZA PREAVVISO. PER CONSULTARE I KIT DI MONTAGGIO AGGIORNATI VISITA IL SITO WWW.TRANSITIONBIKES.COM



SCOUT ALLOY

27.5" WHEELS
130MM REAR / 150MM FRONT

COLORI DISPONIBILI:

DESERT TAN

SLATE BLU

TAGLIE: XS / S / M / L / XL



TELAIO: 2099€

Transition è famosa per bici con travel ridotto che girano grosso. Come la sua sorella da 29 pollici, la SCOUT è la sintesi di tutto questo... "soli" 130mm di escursione al posteriore, abbinati ai 150mm anteriore, per questa trail tutto fare che saprà regalarvi il piacere di salire con efficienza e leggerezza ad una grandissima polivalenza quando si punta verso il basso.

FRAME & TECH INFO	
FORK AXLE TO CROWN	542 mm
FORK OFFSET	37 mm
REAR SHOCK SIZE	210mm X 55mm
REAR SHOCK HARDWARE	30mm x 8mm Bottom
HEADSET	44mm Zero Stack (Top) / 56mm Zero Stack (Bottom)
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	180mm Post Mount
REAR AXLE	Syntace X12 14:8
FRONT DERAILLEUR	No Support
ISCG TABS	ISCG05
SEATPOST DIAMETER	31.6mm
MAX SEATPOST INSERTION	XS 175mm, Small 200mm, Medium 230mm, Large 270mm, XL 300mm
SEAT CLAMP	34.9mm
MAXIMUM CHAINRING	34t
MAXIMUM TIRE	27.5 x 2.8
SAG SETUP	17-19mm (32-35%)
FRAME WEIGHT	(Medium with Shock/Axle/Hardware) 4.08 Kg

FRAME SET: AMMORTIZZATORE Fox DPX2 Performance Elite



GX



NX

	SCOUT ALLOY GX	SCOUT ALLOY NX
	4399€	3199€
TELAIO	Scout Alloy 130mm Rear 150mm Front	Scout Alloy 130mm Rear 150mm Front
AMMORTIZZATORE	Fox DPX2 Performance	RockShox Deluxe RT
FORCELLA	Fox 36 Grip Performance 150mm	Rockshox Revelation RC 150mm
SERIE STERZO	FSA No57E	FSA No57E
ATTACCO	RaceFace Aeffect R (40mm)	RaceFace Aeffect R (40mm)
MANUBRIO	RaceFace Chester 35	RaceFace Chester 35
MANUBRIO	XS (760 x 10mm) S (780 x 20mm) M/L/XL (780 x 35mm)	XS (760 x 10mm) S (780 x 20mm) M/L/XL (780 x 35mm)
MANOPOLE	ODI Elite Flow	Velo VLG-1812D2
SELLA	ANVL Forge Cromo	WTB Silverado Comp
REGGISSELLA	RockShox Reverb Stealth XS (100mm) S (125mm) M (150mm) L/XL (170mm)	KS Lev Si XS (100mm) S (125mm) M/L/XL (150mm)
FRENI	SRAM Guide R	SRAM Level T
DISCHI FRENI	SRAM Centerline	SRAM Centerline
COMANDO CAMBIO	SRAM GX Eagle	SRAM NX Eagle
CAMBIO	SRAM GX Eagle	SRAM NX Eagle
PACCO PIGNONI	SRAM XG 1275 (10-50t)	SRAM PG 1230 (11-50t)
CATENA	SRAM GX Eagle	SRAM NX Eagle
GUARNITURA	SRAM Stylo 7K DUB (170mm x 32t)	SRAM NX Eagle DUB (170mm x 32t)
RUOTE	Stans Flow S1 Team	WTB STi29/Novatech D791SB/D462SB
PNEUMATICO ANT	Maxxis Minion DHF 3C WT (27.5x2.5)	Maxxis Minion DHF Dual WT (27.5x2.5)
PNEUMATICO POST	Maxxis Minion DHR II 3C WT (27.5x2.4)	Maxxis Minion DHR II Dual WT (27.5x2.4)
PESO	14.63 kg	15.11 kg

* LE SPECIFICHE DI MONTAGGIO POSSONO VARIARE SENZA PREAVVISO. PER CONSULTARE I KIT DI MONTAGGIO AGGIORNATI VISITA IL SITO WWW.TRANSITIONBIKES.COM

SMUGGLER CARBON

29" WHEELS
120MM REAR / 140MM FRONT

COLORI DISPONIBILI:
OUTLAW ORANGE
BLACK POWDER

TAGLIE: S / M / L / XL



TELAIO: 3099€

Trail 29 per chi ama le ruote grandi ma vuole agilità, rigidità e divertimento. Con 120mm di escursione e 140mm all'anteriore serviti da forcelle strutturate a dovere, la Smuggler è estremamente piacevole da pedalare ma si trasforma in discesa garantendo grande divertimento.

FRAME & TECH INFO	
FORK AXLE TO CROWN	551 mm
FORK OFFSET	42mm (Rockshox) / 44mm (Fox)
REAR SHOCK SIZE	210mm x 50mm
REAR SHOCK HARDWARE	30mm x 8mm Top / 25mm x 8mm Bottom
HEADSET	44mm Zero Stack (Top) / 56mm Zero Stack (Bottom)
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	180mm Post Mount
REAR AXLE	Syntace X12 14/8
FRONT DERAILLEUR	No Support
ISCG TABS	ISCG05
SEATPOST DIAMETER	31.6mm
MAX SEATPOST INSERTION	Small 165mm, Medium 175mm, Large 215mm, XL 245mm
SEAT CLAMP	37mm
MAXIMUM CHAINRING	34t
MAXIMUM TIRE	29 x 2.4
SAG SETUP	16-17mm (32-35%)
FRAME WEIGHT	(Medium with Shock/Axle/Hardware) Carbon - 3.0 kg

FRAME SET: AMMORTIZZATORE Fox DPS Performance Elite



X01



GX



NX

	SMUGGLER CARBON X01	SMUGGLER CARBON GX	SMUGGLER CARBON NX
	6499€	5399€	4299€
TELAIO	Smuggler Carbon 120mm Rear / 140mm Front	Smuggler Carbon 120mm Rear / 140mm Front	Smuggler Carbon 120mm Rear / 140mm Front
AMMORTIZZATORE	Fox DPS Performance Elite	Fox DPS Performance Elite	RockShox Deluxe RT
FORCELLA	Fox Float 36 Grip 2 Performance Elite (140mm)	Fox Float 36 Grip Performance Elite (140mm)	Rockshox Revelation RC 140mm
SERIE STERZO	Cane Creek 40Series	FSA No57E	FSA No57E
ATTACCO MANUBRIO	ANVL Swage (40mm)	RaceFace Aeffect R (40mm)	RaceFace Aeffect R (40mm)
MANUBRIO	ANVL Mandrel Alloy 35	RaceFace Chester 35	RaceFace Chester 35
	S/M 800x20mm	S/M 780x20mm	S/M 780x20mm
	L/XL 800x30mm	L/XL 780x35mm	L/XL 780x35mm
MANOPOLE	ODI Elite Flow	ODI Elite Flow	Velo VLG-1812D2
SELLA	ANVL Forge Ti	ANVL Forge Cromo	WTB Silverado Comp
REGGISSELLA	RockShox Reverb Stealth 1x Remote S (100mm)	RockShox Reverb Stealth S (100mm)	RaceFace Aeffect Dropper -
	M (125mm)	M (125mm)	S/M (125mm)
	L (150mm)	L (150mm)	L/XL (150mm)
	XL (170mm)	XL (170mm)	-
FRENI	SRAM Code RSC	SRAM Code R	SRAM Level T
DISCHI FRENI	SRAM Centerline	SRAM Centerline	SRAM Centerline
COMANDO CAMBIO	SRAM X01 Eagle	SRAM GX Eagle	SRAM NX Eagle
CAMBIO	SRAM X01 Eagle	SRAM GX Eagle	SRAM NX Eagle
PACCO PIGNONI	SRAM XG 1275 (10-50t)	SRAM XG 1275 (10-50t)	SRAM PG 1230 (11-50t)
CATENA	SRAM GX Eagle	SRAM GX Eagle	SRAM NX Eagle
GUARNITURA	SRAM X1 Carbon DUB (170mm x 30t)	SRAM Stylo 7K DUB (170mm x 30t)	SRAM NX Eagle DUB (170mm x 30t)
RUOTE	Stans Arch MK3 Pro	Stans Arch S1 Team	WTB ST125/Novatech D791SB/D462SB
PNEUMATICO ANT	Maxxis Minion DHF 3C WT (29x2.3)	Maxxis Minion DHF 3C WT (29x2.3)	Maxxis Minion DHF Dual WT (29x2.3)
PNEUMATICO POST	Maxxis Minion DHR11 3C (29x2.3)	Maxxis Minion DHR11 3C (29x2.3)	Maxxis Minion DHR11 Dual (29x2.3)
PESO	12.99 kg	13.28 kg	14.02 kg

* LE SPECIFICHE DI MONTAGGIO POSSONO VARIARE SENZA PREAVVISO. PER CONSULTARE I KIT DI MONTAGGIO AGGIORNATI VISITA IL SITO WWW.TRANSITIONBIKES.COM



NOT AN XC BIKE!
THIS IS A
"GO SHRED"
BIKE

VANQUISH CARBON

29" WHEELS
120MM FRONT

COLORI DISPONIBILI:

HABANERO ORANGE

RACE RAW

TAGLIE: M / L / XL



VANQUISH CARBON GX	
	3999€
TELAIO	VANQUISH CARBON/120mm Front
AMMORTIZZATORE	-
FORCELLA	Fox 34 Float Grip Performance 120mm
SERIE STERZO	FSA No57E
ATTACCO	RaceFace Aeffect R (40mm)
MANUBRIO	RaceFace Aeffect R (780mm x 20mm)
MANUBRIO	RaceFace Aeffect R (780mm x 20mm)
MANOPOLE	Velo Single Clamp
SELLA	ANVL Forge Stealth Cromo
REGGISELLA	RockShox Reverb Stealth
FRENI	SRAM Guide R
DISCHI FRENI	SRAM Centerline
COMANDO CAMBIO	SRAM GX Eagle
CAMBIO	SRAM GX Eagle
PACCO PIGNONI	SRAM PG 1275 (10-50t)
CATENA	SRAM GX Eagle
GUARNITURA	SRAM Descendant 6K (30t, 170mm)
RUOTE	E*Thirteen TRS 30mm/Novatech D711SB/D462SB
PNEUMATICO ANT	Maxxis Minion DHF Dual EXO(29x2.3)
PNEUMATICO POST	Maxxis Minion DHR Dual EXO(29x2.3)



TELAIO: 1899€



FRAME & TECH INFO	
FORK AXLE TO CROWN	531 mm
FORK OFFSET	51 mm
HEADSET	44mm Zero Stack (Top) / 56mm Zero Stack (Bottom)
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	160mm Post Mount
REAR AXLE	Syntace X12 148
FRONT DERAILLEUR	No Support
ISCG TABS	ISCG05
SEATPOST DIAMETER	31.6mm
MAX SEATPOST INSERTION	Medium 245mm, Large 245mm, XL 245mm
SEAT CLAMP	34.9
MAXIMUM CHAINRING	34t
MAXIMUM TIRE	29 x 2.4
FRAME WEIGHT	1.5 Kg

THROTTLE CARBON

27.5" WHEELS
140MM FRONT

COLORI DISPONIBILI:

HOT MUSTARD

RACE RAW

TAGLIE: S / M / L / XL



TELAIO: 1899€



THROTTLE CARBON GX	
	3999€
TELAIO	THROTTLE CARBON/140mm Front
AMMORTIZZATORE	-
FORCELLA	Fox 34 Float Grip Performance 275 140mm
SERIE STERZO	FSA No57E
ATTACCO	RaceFace Aeffect R (50mm)
MANUBRIO	RaceFace Aeffect R (780mm x 35mm)
MANUBRIO	RaceFace Aeffect R (780mm x 35mm)
MANOPOLE	Velo Single Clamp
SELLA	ANVL Forge Stealth Cromo
REGGISELLA	RockShox Reverb Stealth (150mm)
FRENI	SRAM Guide R
DISCHI FRENI	SRAM Centerline
COMANDO CAMBIO	SRAM GX Eagle
CAMBIO	SRAM GX Eagle
PACCO PIGNONI	SRAM PG 1275 (10-50t)
CATENA	SRAM GX Eagle
GUARNITURA	SRAM Descendant 6K (32t, 170mm)
RUOTE	E*Thirteen TRS /Novatech D711SB/D462SB
PNEUMATICO ANT	Maxxis Minion DHF Dual EXO(27.5x2.3)
PNEUMATICO POST	Maxxis Minion DHR Dual EXO(27.5x2.3)

FRAME & TECH INFO	
FORK AXLE TO CROWN	551 mm
FORK OFFSET	42mm (Rockshox) / 44mm (Fox)
REAR SHOCK SIZE	210mm x 50mm
REAR SHOCK HARDWARE	30mm x 8mm Top / 25mm x 8mm Bottom
HEADSET	44mm Zero Stack (Top) / 56mm Zero Stack (Bottom)
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	180mm Post Mount
REAR AXLE	Syntace X12 148
FRONT DERAILLEUR	No Support
ISCG TABS	ISCG05
SEATPOST DIAMETER	31.6mm
MAX SEATPOST INSERTION	Small 165mm, Medium 175mm, Large 215mm, XL 245mm
SEAT CLAMP	37mm
MAXIMUM CHAINRING	34t
MAXIMUM TIRE	29 x 2.4
SAG SETUP	16-17mm (32-35%)
FRAME WEIGHT	(Medium with Shock/Axle/Hardware) Carbon - 3.0 kg

RIPCORD ALLOY

24" WHEELS
100MM REAR / 100MM FRONT

COLORI DISPONIBILI:

SLATE BLU

OUTLAW ORANGE

TAGLIA UNICA



RIPCORD	
	1799€
TELAIO	Ripcord 100mm Front & Rear
AMMORTIZZATORE	RockShox Monarch RT
FORCELLA	RockShox 30 Silver TK 26 (100mm)
ATTACCO	RaceFace Respond 31.8 (45mm)
MANUBRIO	RaceFace Ride 31.8 (710mm x 25mm)
MANUBRIO	RaceFace Ride 31.8 (710mm x 25mm)
MANOPOLE	Velo Single Clamp
SELLA	WTB Volt
REGGISSELLA	RaceFace Ride
FRENI	Shimano Deore M395
DISCHI FRENI	Shimano
COMANDO CAMBIO	SRAM GX
CAMBIO	SRAM GX 10v
PACCO PIGNONI	SRAM PG1020 (11-36t)
CATENA	SRAM GX
GUARNITURA	SRAM NX (30t, 155mm)
RUOTE	Jalco DD28 24" Rims/SRAM MTH 406 Hubs
PNEUMATICO ANT	Maxxis Minion DHF 3C (24x2.3)
PNEUMATICO POST	Maxxis Minion DHR 3C (24x2.3)



TELAIO: 999€



FRAME & TECH INFO	
FORK AXLE TO CROWN	475 mm
FORK OFFSET	39 mm
HEADSET	44mm Zero Stack
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	160mm Post Mount
REAR AXLE	10 x 135
ISCG TABS	ISCG05
SEATPOST DIAMETER	31.6 mm
MAX SEATPOST INSERT	225 mm
SEAT CLAMP	34.9 mm
MAXIMUM CHAINRING	32t Single
MAXIMUM TIRE	2.5x24"

PBJ CHROMOLY

26" WHEELS
100MM FRONT

COLORI DISPONIBILI:

CHROME

DARK OLIVE GREEN

TAGLIE: S / L



PBJ	
	1799€
TELAIO	PBJ Chromoly/100mm Front
FORCELLA	RockShox Pike DJ 26 (100mm)
SERIE STERZO	FSA No.10/7B/44
ATTACCO MANUBRIO	Transition DJ
MANUBRIO	Kore Torsion 31.8 (760mm x 50mm)
MANOPOLE	Velo Single Clamp
SELLA	Transition Pivotal DJ
REGGISSELLA	Velo Plastic Pivotal
FRENI	SRAM Level (Solo Posteriore)
DISCHI FRENI	SRAM Centerline (160mm)
PIGNONE	12t Single Cog
CATENA	KMC HL710
GUARNITURA	Samox BMX 3 pc (25t, 170mm)
RUOTE	Kinlin DDT32 26 Rim/Joytec D941SB & D236SBT
PNEUMATICO ANT	Maxxis DTH (26x2.3)
PNEUMATICO POST	Maxxis DTH (26x2.3)
PESO	11.74 kg



TELAIO: 499€



FRAME & TECH INFO	
FORK AXLE TO CROWN	482 mm
FORK OFFSET	40 mm
HEADSET	44mm Zero Stack
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	160mm Post Mount
REAR AXLE	10 x 135
ISCG TABS	None
SEATPOST DIAMETER	27.2 mm
SEAT CLAMP	Built in bolt
MAXIMUM CHAINRING	32t Single
MAXIMUM TIRE	2.3x26"



TR11 CARBON	S	M	L	XL
REACH	413	433	453	473
STACK	612	616	621	625
EFFECTIVE TT LENGTH	571	594	616	638
SEAT TUBE LENGTH	420	420	430	430
EFFECTIVE ST ANGLE	76	76	76	76
HEAD TUBE LENGTH	115	120	125	130
HEAD TUBE ANGLE	63	63	63	63
CHAINSTAY LENGTH	435	435	435	435
WHEELBASE	1212	1234	1257	1279
BOTTOM BRACKET DROP	11	11	11	11
ESTIMATED BB HEIGHT	344	344	344	344
STAND OVER HEIGHT	688	688	688	688
FORK OFFSET	52	52	52	52

SENTINEL CARBON\ALLOY	S	M	L	XL	XXL***
REACH	425	450	475	500	515
STACK	617	617	626	635	644
EFFECTIVE TT LENGTH	568	593	622	650	666
SEAT TUBE LENGTH	360	400	440	490	510
EFFECTIVE ST ANGLE	77.5	76.8	76.3	75.8	75.5
HEAD TUBE LENGTH	100	100	110	120	130
HEAD TUBE ANGLE	64	64	64	64	64
CHAINSTAY LENGTH	435	435	435	435	435
WHEELBASE	1193	1218	1247	1277	1296
BOTTOM BRACKET DROP	30	30	30	30	30
ESTIMATED BB HEIGHT	345	345	345	345	345
STAND OVER HEIGHT	685	695	700	715	720
FORK OFFSET	43	43	43	43	43
DOWNTUBE ANGLE	60	60	60	60	60
ROCKER EYE TO EYE	185	185	185	185	185

RIPCORD ALLOY	ONE SIZE
REACH	366
STACK	503
EFFECTIVE TOPTUBE	510
SEAT TUBE LENGTH	317
EFFECTIVE ST ANGLE	74
HEAD TUBE LENGTH	90
HEAD TUBE ANGLE	67
CHAINSTAY LENGTH	381
WHEELBASE	1005
BOTTOM BRACKET DROP	-5

PATROL CARBON\ALLOY	XS**	S	M	L	XL
REACH	400	425	450	475	500
STACK	596	596	605	614	623
EFFECTIVE TT LENGTH	530	555	583	611	640
SEAT TUBE LENGTH	360	360	400	440	490
EFFECTIVE ST ANGLE	78.4	77.8	77.1	76.6	76.1
HEAD TUBE LENGTH	100	100	110	120	130
HEAD TUBE ANGLE	64	64	64	64	64
CHAINSTAY LENGTH	430	430	430	430	430
WHEELBASE	1154	1179	1209	1238	1268
BOTTOM BRACKET DROP	15	15	15	15	15
ESTIMATED BB HEIGHT	340	340	340	340	340
STAND OVER HEIGHT	680	680	685	695	710
FORK OFFSET	37	37	37	37	37
DOWNTUBE ANGLE	60	60	60	60	60
ROCKER EYE TO EYE	185	185	185	185	185


SMUGGLER CARBON	S	M	L	XL
REACH	425	450	475	500
STACK	615	615	624	633
EFFECTIVE TT LENGTH	571	596	625	653
SEAT TUBE LENGTH	400	410	450	495
EFFECTIVE ST ANGLE	77	76.3	75.8	75.3
HEAD TUBE LENGTH	100	100	110	120
HEAD TUBE ANGLE	66	66	66	66
CHAINSTAY LENGTH	430	430	430	430
WHEELBASE	1159	1184	1213	1242
BOTTOM BRACKET DROP	35	35	35	35
ESTIMATED BB HEIGHT	340	340	340	340
STAND OVER HEIGHT	688	695	705	720
FORK OFFSET	43	43	43	43
DOWNTUBE ANGLE	60	60	60	60
ROCKER EYE TO EYE	160	160	160	160

PBJ ALLOY	S	L
REACH	415	440
STACK	569	569
EFFECTIVE TT LENGTH	600	625
SEAT TUBE LENGTH	338	338
EFFECTIVE ST ANGLE	72	72
HEAD TUBE LENGTH	110	110
HEAD TUBE ANGLE	68.5	68.5
CHAINSTAY LENGTH	388	388
WHEELBASE	1062	1087
BOTTOM BRACKET DROP	20	20
ESTIMATED BB HEIGHT	320	320
STAND OVER HEIGHT	620	620
FORK OFFSET	40	40

SCOUT ALLOY	XS**	S	M	L	XL
REACH	400	425	450	475	500
STACK	589	598	607	617	625
EFFECTIVE TT LENGTH	547	575	603	632	660
SEAT TUBE LENGTH	355	380	410	440	495
EFFECTIVE ST ANGLE	76.6	76.1	75.5	75	74.6
HEAD TUBE LENGTH	100	110	120	130	140
HEAD TUBE ANGLE	65	65	65	65	65
CHAINSTAY LENGTH	425	425	425	425	425
WHEELBASE	1131	1160	1189	1218	1247
BOTTOM BRACKET DROP	20	20	20	20	20
ESTIMATED BB HEIGHT	335	335	335	335	335
STAND OVER HEIGHT	675	675	685	695	710
FORK OFFSET	37	37	37	37	37
DOWNTUBE ANGLE	60	60	60	60	60
ROCKER EYE TO EYE	165	165	165	165	165

VANQUISH CARBON	M	L	XL
REACH	435	465	495
STACK	621	630	640
EFFECTIVE TT LENGTH	612	645	678
SEAT TUBE LENGTH	410	450	495
EFFECTIVE ST ANGLE	74	74	74
HEAD TUBE LENGTH	100	110	120
HEAD TUBE ANGLE	67.5	67.5	67.5
CHAINSTAY LENGTH	420	420	420
WHEELBASE	1141	1175	1209
BOTTOM BRACKET DROP	55	55	55
ESTIMATED BB HEIGHT	315	315	315
STAND OVER HEIGHT	620	620	620
FORK OFFSET	51	51	51

THROTTLE	S	M	L	XL
REACH	390	420	450	480
STACK	603	612	621	630
EFFECTIVE TT LENGTH	563	596	628	661
SEAT TUBE LENGTH	385	410	450	495
EFFECTIVE ST ANGLE	74	74	74	74
HEAD TUBE LENGTH	100	110	120	130
HEAD TUBE ANGLE	66	66	66	66
CHAINSTAY LENGTH	420	420	420	420
WHEELBASE	1105	1139	1173	1207
BOTTOM BRACKET DROP	40	40	40	40
ESTIMATED BB HEIGHT	315	315	315	315
STAND OVER HEIGHT	658	677	682	693
FORK OFFSET	42	42	42	42



**TAGLIA XS DISPONIBILE SONO NELLA VERSIONE ALLUMINIO

***TAGLIA XXL DISPONIBILE SOLO NELLA VERSIONE IN ALLUMINIO

TRIBE

WWW.TRANSITIONBIKES.COM

Distribuita in Italia da:

TRIBE DISTRIBUTION s.r.l.

info@tribedistribution.com

STRADA STATALE 28 SUD,6/C

12080 - VICOFORTE (CN)

TEL. +39 0174 330 152

FAX +39 0174 553 449

www.tribedistribution.com