
tribe
distribution.com
duemilaventuno
TRANSITION BIKES
RONDO
ACEPAC
GRANITE
RACER

Join the TRIBE!

WWW.TRIBEDISTRIBUTION.COM

Richiedi l'accesso al nostro B2B

service@tribedistribution.com

TRANSITION BIKES

Gravity • Enduro • Trail • All-Country

RONDO

Gravel • Road • Road Plus • Touring

ACEPAC

Borse ed accessori per bikepacking

GRANITE

Multi-tool e accessori

RACER

Protezioni, guanti e accessori

Protezioni, guanti e accessori

TRANSITION
BICYCLE COMPANY

SPUR

29" WHEELS

120MM REAR / 120MM FRONT

COLORI DISPONIBILI:

BLACK POWDER

DEEP SEA GREEN

TAGLIE: S / M / L / XL

TELAIO: 3199€



FRAME & TECH INFO	
REAR TRAVEL:	120mm (Compatible with 100mm)
FRONT TRAVEL:	120mm
WHEEL SIZE:	29"
SIZES:	SM, MD, LG, XL
COLORS:	Deep Sea Green, Black Powder
FRAME BEARINGS:	2x 6903, 4x 6901
FORK AXLE TO CROWN:	533mm (Includes headset)
FORK OFFSET:	44mm
REAR SHOCK SIZE:	190mm x 45mm (Compatible with 190mm x 37.5mm)
SHOCK HARDWARE:	30mm x 8mm Top / 25mm x 8mm Bottom
HEADSET (TOP):	44mm Zero Stack
HEADSET (BOTTOM):	56mm Zero Stack
BB SHELL:	73mm BSA Threaded
CHAINLINE:	52mm
REAR BRAKE MOUNT:	160mm Post Mount, Max Rotor Size 180mm
REAR AXLE:	Syntace X12 148 (Boost), 1.0mm Thread Pitch
ISCG TABS:	ISCG05 (Top/Front 2 mounts only)
SEATPOST DIAMETER:	31.6mm
SEAT CLAMP:	37.0mm
MAX SEATPOST INSERTION:	Small 250mm | Medium 280mm | Large 330mm | XL 330mm
MAX CHAINRING SIZE:	36T Standard Single Ring
MAX TIRE SIZE:	29 x 2.4
REAR SHOCK SAG:	120mm (45mm) = 12-15mm (27-33%)
	100mm (37.5mm) = 10-12mm (27-33%)

TELAIO VENDUTO CON AMMORTIZZATORE: RockShox SIDLuxe Ultimate

SBG SPEED BALANCED GEOMETRY

GiddyUp

XX1 AXS

X01

GX

	SPUR CARBON XX1 AXS	SPUR CARBON X01	SPUR CARBON GX	SPUR CARBON DEORE
	9399€	**6199€**	**5199€**	**4399€**
TELAIO	Spur Carbon 120mm	Spur Carbon 120mm	Spur Carbon 120mm	Spur Carbon 120mm
AMMORTIZZATORE	RockShox SIDLuxe Ultimate	RockShox SIDLuxe Ultimate	RockShox SIDLuxe Select+	RockShox Super Deluxe Select+
FORCELLA	RockShox SID Ultimate 120mm, 44mm Offset	RockShox SID Ultimate 120mm, 44mm Offset	RockShox SID Select+ 120mm, 44mm Offset	RockShox SID Select 120mm, 44mm Offset
SERIE STERZO	Cane Creek 40 Series	Cane Creek 40 Series	FSA No.57E	FSA No.57E
ATTACCO MANUBRIO	RaceFace Turbine R (50mm)	RaceFace Turbine R (50mm)	RaceFace Aeffect R (50mm)	RaceFace Aeffect R (50mm)
MANUBRIO	OneUp Carbon Bar (800mm x 20mm)	OneUp Carbon Bar (800mm x 20mm)	ANVL Mandrel Alloy (800mm x 20mm)	RaceFace Aeffect R (780mm x 20mm)
MANOPOLE	Sensus Lite	Sensus Lite	Sensus Lite	Sensus Lite
SELLA	ANVL Forge Ti	ANVL Forge Ti	ANVL Forge Cromo	ANVL Forge Cromo
REGGISELLA	RockShox Reverb AXS	OneUp Dropper Post	OneUp Dropper Post	OneUp Dropper Post
	150mm or 170mm	SM (120mm) MD (150mm) LG (180mm) XL (210mm)	SM (120mm) MD (150mm) LG (180mm) XL (210mm)	SM (120mm) MD (150mm) LG (180mm) XL (210mm)
FRENI	SRAM G2 Ultimate	SRAM G2 RSC	SRAM G2 RS	Shimano Deore M6100
DISCHI FRENI	SRAM Centerline X (180/160mm)	SRAM Centerline (180/160mm)	SRAM Centerline (180/160mm)	Shimano RT64 (180/160mm)
COMANDO CAMBIO	SRAM AXS Controller	SRAM X01 Eagle	SRAM GX Eagle	Shimano Deore M6100
CAMBIO	SRAM XX1 AXS	SRAM X01 Eagle	SRAM GX Eagle	Shimano Deore M6100
PACCO PIGNONI	XG1299 (10-52t) Copper XX1	SRAM XG 1295 (10-52t)	SRAM XG 1275 (10-52t)	Shimano Deore M6100 (10-51t)
CATENA	SRAM XX1 Black	SRAM X01 Eagle	SRAM GX Eagle	Shimano Deore M6100
GUARNITURA	XX1 Carbon DUB (32t/175mm) All Sizes	SRAM X1 Carbon DUB (32t/175mm) Small 170mm	SRAM Stylo 7K DUB (32t/175mm) Small 170mm	Shimano Deore M6100 (32t/175mm) Small 170mm
RUOTE	DT Swiss XRC 1200 Spline 25 Carbon	DT Swiss XR 1700 Spline 25	Stans Arch S1 Team 28H	Stans Arch D / Shimano MT410
PNEUMATICO ANT	Maxxis Dissector 3C EXO (29x2.4)	Maxxis Dissector 3C EXO (29x2.4)	Maxxis Dissector 3C EXO (29x2.4)	Maxxis Dissector 3C EXO (29x2.4)
PNEUMATICO POST	Maxxis Rekon 3C EXO (29x2.4)	Maxxis Rekon 3C EXO (29x2.4)	Maxxis Rekon 3C EXO (29x2.4)	Maxxis Rekon 3C EXO (29x2.4)
ALTRO	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)
PESO	11.2 kg (Size MD)	11.4 kg (Size MD)	12.2 kg (Size MD)	-

* Le specifiche di montaggio possono variare senza preavviso. Per consultare i kit di montaggio aggiornati visita il sito www.transitionbikes.com

SENTINEL

29" WHEELS

150MM REAR / 160MM FRONT

COLORI DISPONIBILI:

TI GREY

LOAM GOLD

TAGLIE: S / M / L / XL / XXL

TELAIO: 3449€



FRAME & TECH INFO	
REAR TRAVEL:	150mm (Compatible with 140mm)
FRONT TRAVEL:	160mm
WHEEL SIZE:	29"
SIZES:	SM, MD, LG, XL, XXL
COLORS:	Loam Gold, Ti Grey
FRAME BEARINGS:	2x 6903, 2x 6902, 4x 6802, 2x 3802, 2x 6900
FORK AXLE TO CROWN:	574mm (Includes headset)
FORK OFFSET:	42-44mm
REAR SHOCK SIZE:	205mm x 62.5mm (Compatible with 205mm x 57.5mm)
SHOCK HARDWARE:	Trunion Mount Top / 25mm x 8mm Bottom
HEADSET (TOP):	44mm Zero Stack
HEADSET (BOTTOM):	56mm Zero Stack
BB SHELL:	73mm BSA Threaded
CHAINLINE:	52mm
REAR BRAKE MOUNT:	180mm Post Mount, Max Rotor Size 203mm
REAR AXLE:	Syntace X12 148, 1.0mm Thread Pitch
ISCG TABS:	ISCG05
SEATPOST DIAMETER:	31.6mm
SEAT CLAMP:	37.0mm
MAX SEATPOST INSERTION:	Small 220mm | Medium 250mm | Large 290mm | XL 320mm | XXL 350mm
MAX CHAINRING SIZE:	32T Standard Single Ring
MAX TIRE SIZE:	29 x 2.6
REAR SHOCK SAG:	150mm/62.5mm: 16-20mm (26-32%)
	140mm/57.5mm: 15-19mm (26-33%)

TELAIO VENDUTO CON AMMORTIZZATORE: Fox Float X2 Factory 2 Position

SPEED BALANCED GEOMETRY

GiddyUp

GX

XO1 FACTORY

NX

	SENTINEL CARBON X01 FACTORY	SENTINEL CARBON GX	SENTINEL CARBON XT	SENTINEL CARBON NX
	7099€	5599€	5599€	4599€
TELAIO	Sentinel Carbon 150mm	Sentinel Carbon 150mm	Sentinel Carbon 150mm	Sentinel Carbon 150mm
AMMORTIZZATORE	Fox Float X2 Factory 2 Position	RockShox Super Deluxe Ultimate	Fox Float X2 Performance 2 Position	RockShox Super Deluxe Select+ RT
FORCELLA	Fox Float 36 Grip 2 Factory 160mm Travel/44mm Offset"	"RockShox Lyrik Ultimate 160mm Travel/42mm Offset"	"Fox Float 36 Grip Performance 160mm Travel/44mm Offset"	"RockShox Lyrik Select 160mm Travel/42mm Offset"
SERIE STERZO	Cane Creek 40 Series	FSA No.57E	FSA No.57E	FSA No.57E
ATTACCO MANUBRIO	ANVL Swage (40mm)	ANVL Swage (40mm)	ANVL Swage (40mm)	RaceFace Aeffect R (40mm)
MANUBRIO	"OneUp Carbon Bar SM/MD (800x20) LG/XL/XXL (800x35)"	"ANVL Mandrel Alloy 35 SM/MD (800x20) LG/XL (800x30) XXL (800x 40)"	"ANVL Mandrel Alloy 35 SM/MD (800x20) LG/XL (800x30) XXL (800x 40)"	"RaceFace Chester 35 SM/MD (780x20) LG/XL/XXL (780x35)"
MANOPOLE	Sensus Lite	Sensus Lite	Sensus Lite	Sensus Lite
SELLA	ANVL Forge Ti	ANVL Forge Cromo	ANVL Forge Cromo	ANVL Forge Cromo
REGGISELLA	"OneUp Dropper Post SM (150mm) MD (180mm) LG/XL/XXL (210mm)"	"OneUp Dropper Post SM (150mm) MD (180mm) LG/XL/XXL (210mm)"	"OneUp Dropper Post SM (150mm) MD (180mm) LG/XL/XXL (210mm)"	"OneUp Dropper Post SM (150mm) MD (180mm) LG/XL/XXL (210mm)"
FRENI	SRAM Code RSC	SRAM Code RSC	Shimano XT M8120	SRAM Code R
DISCHI FRENI	SRAM Centerline (200mm)	SRAM Centerline (200mm)	Shimano RT86 (203mm)	SRAM Centerline (200mm)
COMANDO CAMBIO	SRAM XO1 Eagle	SRAM GX Eagle	Shimano XT M8100	SRAM NX Eagle MMX
CAMBIO	SRAM XO1 Eagle	SRAM GX Eagle	Shimano XT M8100	SRAM NX Eagle
PACCO PIGNONI	SRAM XG 1295 (10-52t)	SRAM XG 1275 (10-52t)	Shimano SLX M7100 (10-51t)	SRAM PG 1230 (11-50t)
CATENA	SRAM GX Eagle	SRAM GX Eagle	Shimano XT M8100	SRAM NX Eagle
GUARNITURA	SRAM X1 Carbon DUB (30t/170mm)	SRAM Stylo 7K DUB (30t/170mm)	Shimano XT M8100 (30t/170mm)	SRAM Stylo 6k DUB (30t/170mm)
RUOTE	DT Swiss M1700 Spline 30	Stans Flow S1 Team	Stans Flow S1	Stans Flow D/Novatech D791SB/ D462SB
PNEUMATICO ANT	Maxxis Assegai 3C EXO+ (29.5x2.5)	Maxxis Assegai 3C EXO+ (29.5x2.5)	Maxxis Assegai 3C EXO+ (29x2.5)	Maxxis Assegai 3C EXO+ (29.5x2.5)
PNEUMATICO POST	Maxxis Minion DHRII 3C EXO+ (29.5x2.4)	Maxxis Minion DHRII 3C EXO+ (29.5x2.4)	Maxxis Minion DHRII 3C EXO+ (29x2.4)	Maxxis Minion DHRII 3C EXO+ (29.5x2.4)
INCLUSO	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)
PESO	30.7 lbs / 13.94kg (Size Md)	31.3 lbs / 14.21kg (Size Md)	31.3 lbs / 14.21kg (Size MD)	31.8 lbs / 14.44kg (Size Md)

* Le specifiche di montaggio possono variare senza preavviso. Per consultare i kit di montaggio aggiornati visita il sito www.transitionbikes.com

SCOUT

27.5” WHEELS

140MM REAR / 150MM FRONT

COLORI DISPONIBILI:

OLIVE GREEN

MIDNIGHT BLUE

TAGLIE: XS / S / M / L / XL

TELAIO: 3449€



FRAME & TECH INFO	
REAR TRAVEL:	140mm (Compatible with 150mm)
FRONT TRAVEL:	150mm
WHEEL SIZE:	275"
SIZES:	XS, SM, MD, LG, XL
COLORS:	Midnight Blue, Olive Green
FRAME BEARINGS:	2x 6903, 2x 6902, 4x 6802, 2x 3802, 2x 6900
FORK AXLE TO CROWN:	545mm
FORK OFFSET:	37mm
REAR SHOCK SIZE:	205mm x 57.5mm (Compatible with a 205mm x 625mm shock)
SHOCK HARDWARE:	Trunion Mount Top / 25mm x 8mm Bottom
HEADSET (TOP):	44mm Zero Stack
HEADSET (BOTTOM):	56mm Zero Stack
BB SHELL:	73mm BSA Threaded
CHAINLINE:	52mm
REAR BRAKE MOUNT:	180mm Post Mount
REAR AXLE:	Syntace X12 148, with a 1.0mm thread pitch
ISCG TABS:	ISCG05
SEATPOST DIAMETER:	31.6mm
SEAT CLAMP:	37.0mm
MAX SEATPOST INSERTION:	XS 210mm | Small 220mm | Medium 250mm | Large 290mm | XL 320mm
MAX CHAINRING SIZE:	34T Single Ring
MAX TIRE SIZE:	27.5 x 2.6
REAR SHOCK SAG:	140mm/57.5mm: 15-19mm (26-33%)
	150mm/62.5mm: 16-20mm (26-32%)

TELAIO VENDUTO CON AMMORTIZZATORE: Fox Float X2 Factory 2 Position

SBG SPEED BALANCED GEOMETRY

GiddyUp

GX

X01 FACTORY

NX

	SCOUT CARBON X01 FACTORY	SCOUT CARBON GX	SCOUT CARBON XT	SCOUT CARBON NX
	7099€	5599€	5599€	4599€
TELAIO	Scout Carbon 140mm	Scout Carbon 140mm	Scout Carbon 140mm	Scout Carbon 140mm
AMMORTIZZATORE	Fox Float X2 Factory 2 Position	RockShox Super Deluxe Ultimate	Fox Float X2 Performance 2 Position	RockShox Super Deluxe Select+
FORCELLA	Fox Float 36 Grip 2 Factory 150mm Travel/37mm Offset	RockShox Lyrik Ultimate 150mm Travel/37mm Offset	Fox Float 36 Grip Performance 150mm Travel/37mm Offset	RockShox Lyrik Select 150mm Travel/37mm Offset
SERIE STERZO	Cane Creek 40 Series	FSA No.57E	FSA No.57E	FSA No.57E
ATTACCO MANUBRIO	ANVL Swage (40mm)	ANVL Swage (40mm)	ANVL Swage (40mm)	RaceFace Aeffect R (40mm)
MANUBRIO	OneUp Carbon Bar XS/SM (800x20) MD/LG/XL (800x35)	ANVL Mandrel Alloy 35 XS/SM (800x20) MD/LG (800x30) XL (800x40)	ANVL Mandrel Alloy 35 XS/SM (800x20) MD/LG (800x30) XL (800x40)	RaceFace Chester 35 XS/SM (780x20) MD/LG/XL (780x35)
MANOPOLE	Sensus Lite	Sensus Lite	Sensus Lite	Sensus Lite
SELLA	ANVL Forge Ti	ANVL Forge Cromo	ANVL Forge Cromo	ANVL Forge Cromo
REGGISELLA	OneUp Dropper Post XS (120mm) SM (150mm) MD (180mm) LG/XL (210mm)	OneUp Dropper Post XS (120mm) SM (150mm) MD (180mm) LG/XL (210mm)	OneUp Dropper Post XS (120mm) SM (150mm) MD (180mm) LG/XL (210mm)	OneUp Dropper Post XS (120mm) SM (150mm) MD (180mm) LG/XL (210mm)
FRENI	SRAM Code RSC	SRAM Code RSC	Shimano XT M8120	SRAM Code R
DISCHI FRENI	SRAM Centerline (180mm)	SRAM Centerline (180mm)	Shimano RT86 (180mm)	SRAM Centerline (180mm)
COMANDO CAMBIO	SRAM X01 Eagle	SRAM GX Eagle	Shimano XT M8100	SRAM NX Eagle MMX
CAMBIO	SRAM X01 Eagle	SRAM GX Eagle	Shimano XT M8100	SRAM NX Eagle
PACCO PIGNONI	SRAM XG 1295 (10-52t)	SRAM XG 1275 (10-52t)	Shimano SLX M7100 (10-51t)	SRAM PG 1230 (11-50t)
CATENA	SRAM GX Eagle	SRAM GX Eagle	Shimano XT M8100	SRAM NX Eagle
GUARNITURA	SRAM X1 Carbon DUB (XS 32t/165mm, SM-XL 32t/170mm)	SRAM Stylo 7K DUB (XS 32t/165mm, SM-XL 32t/170mm)	Shimano XT M8100 (XS 32t/165mm, SM-XL 32t/170mm)	SRAM Stylo 6k DUB (XS 32t/165mm, SM-XL 32t/170mm)
RUOTE	DT Swiss XM 1700 Spline 30	Stans Flow S1	Stans Flow S1	Stans Flow D / Novatech D791SB/ D462SB
PNEUMATICO ANT	Maxxis Assegai 3C EXO+ (27.5x2.5)	Maxxis Assegai 3C EXO+ (27.5x2.5)	Maxxis Assegai 3C EXO+ (27.5x2.5)	Maxxis Assegai 3C EXO+ (27.5x2.5)
PNEUMATICO POST	Maxxis Minion DHRII 3C EXO+ (27.5x2.4)	Maxxis Minion DHRII 3C EXO+ (27.5x2.4)	Maxxis Minion DHRII 3C EXO+ (27.5x2.4)	Maxxis Minion DHRII 3C EXO+ (27.5x2.4)
INCLUSO	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)
PESO	30.4 lbs / 13.79kg (Size MD)	31 lbs / 14.06kg (Size MD)	31 lbs / 14.06kg (Size MD)	31.5 lbs / 14.29kg (Size MD)

* Le specifiche di montaggio possono variare senza preavviso. Per consultare i kit di montaggio aggiornati visita il sito www.transitionbikes.com

PATROL

27.5” WHEELS

160MM REAR / 170MM FRONT

COLORI DISPONIBILI:

CORAL BLUE

TR GREY

TAGLIE CARBON: S / M / L / XL

TAGLIE ALLOY: XS / S / M / L / XL

TELAIO CARBON: 3449€

TELAIO ALLOY: 2099 €

PATROL COIL SPRING SIZES AND SAG SETUP

KG	FOX SPRING	ROCKSHOX SPRING
55-65 kg.	350-400	300-350
65-72 kg.	400-450	350-400
72-80 kg.	450-500	400-450
80-90 kg.	500-550	450-500
90-100 kg.	550-600	500-550
100-110 kg.	600-650	550-600

FRAME & TECH INFO

REAR TRAVEL:	160mm
FRONT TRAVEL:	170mm
WHEEL SIZE:	275"
SIZES:	XS (Alloy Only),SM, MD, LG, XL
COLORS:	Coral Blue, TR Grey
FRAME BEARINGS:	2x 6903, 2x 6902, 4x 6802, 2x 3802, 2x 6900
FORK AXLE TO CROWN:	562mm
FORK OFFSET:	37mm
REAR SHOCK SIZE:	205mm x 65mm
SPRING RATE:	XS 350lb, SM 350lb, MD 400lb, LG 450lb, XL 500lb
SPRING LENGTH:	Fox 2.75-2.8" | Rockshox 57.5 - 65mm
SHOCK HARDWARE:	Trunion Mount Top / 25mm x 8mm Bottom
HEADSET (TOP):	44mm Zero Stack
HEADSET (BOTTOM):	56mm Zero Stack
BB SHELL:	73mm BSA Threaded
CHAINLINE:	52mm
REAR BRAKE MOUNT:	180mm Post Mount
REAR AXLE:	Syntace X12 148, with a 1.0mm thread pitch
ISCG TABS:	ISCG05
SEATPOST DIAMETER:	31.6mm
SEAT CLAMP:	Alloy | 34.9mm
	Carbon | 37mm
MAX SEATPOST INSERTION:	Alloy: XS 140mm | Small 140mm | Medium 185mm | Large 225mm | XL 270mm
	Carbon: Small 190mm | Medium 225mm | Large 245mm | XL 245mm
MAX CHAINRING SIZE:	34T Single Ring
MAX TIRE SIZE:	27.5 x 2.8
AIR SHOCK SAG:	20-23mm (32-35%)
COIL SHOCK SAG:	14-17mm (20-25%)

TELAIO CARBON VENDUTO CON AMMORTIZZATORE: Fox Float X2 Factory 2 Position

TELAIO ALLOY VENDUTO CON AMMORTIZZATORE: RockShox Super Deluxe Coil Ultimate

X01 CARBON

GX ALLOY

NX

	PATROL CARBON **X01**	PATROL CARBON **GX**	PATROL ALLOY **GX**	PATROL ALLOY **NX**
	6699€	**5399€**	**4699€**	**3599€**
TELAIO	Patrol Carbon 160mm	Patrol Carbon 160mm	Patrol Alloy 160mm	Patrol Alloy 160mm
AMMORTIZZATORE	Fox DHX2 Factory 2 Position	RockShox Super Deluxe Coil Select+ RT	Fox DHX2 Factory 2 Position	RockShox Super Deluxe Coil Select R
FORCELLA	Fox 36 Grip 2 Performance Elite 170mm Travel/37mm Offset	RockShox Lyrik Select+ 170mm Travel/37mm Offset	Fox 36 Grip Performance 170mm Travel/37mm Offset	Rockshox Lyrik Select 170mm Travel/37mm Offset
SERIE STERZO	Cane Creek 40 Series	FSA No.57E	FSA No.57E	FSA No.57E
ATTACCO MANUBRIO	ANVL Swage (40mm)	RaceFace Aeffect R (40mm)	RaceFace Aeffect R (40mm)	RaceFace Aeffect R (40mm)
MANUBRIO	ANVL Mandrel Alloy 35 SM (800x20) MD/LG (800x30) XL (800x40)	RaceFace Chester 35 SM (780x20) MD/LG/XL (780x35)	RaceFace Chester 35 SM (780x20) MD/LG/XL (780x35)	RaceFace Chester 35 SM (780x20) MD/LG/XL (780x35)
MANOPOLE	ODI Elite Flow	ODI Elite Flow	ODI Elite Flow	ODI Elite Flow
SELLA	ANVL Forge Cromo	ANVL Forge Cromo	ANVL Forge Cromo	ANVL Forge Cromo
REGGISELLA	RockShox Reverb Stealth 1x Remote SM (125mm) MD (150mm) LG (175mm) XL (200mm)	Bike Yoke Revive SM (125mm) MD (160mm) LG/XL (185mm)	"Bike Yoke Revive SM (125mm) MD (160mm) LG/XL (185mm)"	RaceFace Aeffect R SM (125mm) MD (150mm) LG/XL (170mm)
FRENI	SRAM Code RSC	SRAM Code R	SRAM Code RSC	SRAM Code R
DISCHI FRENI	SRAM Centerline (200/180mm)	SRAM Centerline (200/180mm)	SRAM Centerline (200/180mm)	SRAM Centerline (200/180mm)
COMANDO CAMBIO	SRAM XO1 Eagle	SRAM GX Eagle	SRAM GX Eagle	SRAM NX Eagle
CAMBIO	SRAM XO1 Eagle	SRAM GX Eagle	SRAM GX Eagle	SRAM NX Eagle
PACCO PIGNONI	SRAM XG 1275 (10-50t)	SRAM XG 1275 (10-50t)	SRAM XG 1275 (10-50t)	SRAM PG 1230 (11-50t)
CATENA	SRAM GX Eagle	SRAM GX Eagle	SRAM GX Eagle	SRAM NX Eagle
GUARNITURA	SRAM Descendent Carbon DUB (32t/170mm)	SRAM Descendent 6K DUB (32t/170mm)	SRAM Descendent 7K DUB (32t/170mm) XS (32t/165mm)	SRAM Descendent 6k DUB (32t/170mm) XS (32t/165mm)
RUOTE	Stans Flow MK3 Team	Stans Flow S1 Comp	Stans Flow S1 Comp	Stans Flow D w/ Novatech D791SB/ D462SB
PNEUMATICO ANT	Maxxis Minion DHF 3C WT (27.5x2.5)	Maxxis Minion DHF 3C WT (27.5x2.5)	Maxxis Minion DHF 3C WT (27.5x2.5)	Maxxis Minion DHF Dual WT (27.5x2.5)
PNEUMATICO POST	Maxxis Minion DHRII 3C WT (27.5x2.4)	Maxxis Minion DHRII 3C WT (27.5x2.4)	Maxxis Minion DHRII 3C WT (27.5x2.4)	Maxxis Minion DHRII Dual WT (27.5x2.4)
INCLUSO	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)	Tubeless Valves & Stans Sealant (6oz)
PESO	30.95 lbs / 14.04 kg (Size MD)	32.45 lbs / 14.72 kg (Size MD)	34.50 lbs / 15.65 kg (Size MD)	35.20 lbs / 15.96 kg (Size MD)

* Le specifiche di montaggio possono variare senza preavviso. Per consultare i kit di montaggio aggiornati visita il sito www.transitionbikes.com

RIPCORD ALLOY

24” WHEELS
100MM REAR / 100MM FRONT

COLORI DISPONIBILI:
- RAW
- GRAPE AND TEAL
- LOAM GOLD

TAGLIA UNICA

	RIPCORD
	1799€
TELAIO	Ripcord Alloy 100mm
AMMORTIZZATORE	RockShox Monarch R
FORCELLA	RockShox Judy Silver TK 26 (100mm, 40mm Offset)
SERIE STERZO	FSA ZS44
ATTACCO MANUBRIO	Spank Spoon (40mm)
MANUBRIO	RaceFace Ride 31.8 (710mm x 25mm)
MANOPOLE	Velo Single Clamp
SELLA	WTB Volt
REGGISELLA	JD SP66
FRENI	Shimano MT410
DISCHI FRENI	Shimano RT56 (160mm)
COMANDO CAMBIO	SRAM NX 11spd
CAMBIO	SRAM NX 11spd
PACCO PIGNONI	SRAM PG1130 (11-42t)
CATENA	SRAM PC 1110
GUARNITURA	SRAM X1 1000 DUB (30t, 155mm)
RUOTE	Stans Arch D / Formula DC91/DC32
PNEUMATICO ANT	Maxxis Minion DHF 3C (24x2.4)
PNEUMATICO POST	Maxxis Minion DHR 3C (24x2.4)
PESO	28.8 lbs / 13 kg

TELAIO: 999€

GRAPE AND TEAL

LOAM GOLD

FRAME & TECH INFO			
REAR TRAVEL:	475 mm	**HEADSET (BOTTOM):**	44mm Zero Stack
FRONT TRAVEL:	39 mm	**BB SHELL:**	73mm BSA Threaded
WHEEL SIZE:	44mm Zero Stack	**CHAINLINE:**	50mm
FRAME MATERIAL:	73mm BSA Threaded	**REAR BRAKE MOUNT:**	IS Mount
SIZES:	160mm Post Mount	**REAR AXLE:**	10 x 135mm
COLORS:	10 x 135	**ISCG TABS:**	ISCG05
FRAME BEARINGS:	ISCG05	**SEATPOST DIAMETER:**	31.6mm
FORK AXLE TO CROWN:	31.6 mm	**SEAT CLAMP:**	34.9mm
FORK OFFSET:	225 mm	**MAX CHAINRING SIZE:**	34T Single Ring
REAR SHOCK SIZE:	34.9 mm	**MAX TIRE SIZE:**	2.5 x 24”
SHOCK HARDWARE:	32t Single	**SHOCK SAG:**	30%
HEADSET (TOP):	2.5x24”		

PBJ CHROMOLY

26” WHEELS
100MM FRONT

COLORI DISPONIBILI:
- RAW STEEL
- BLACK AND COPPER
- AQUA BLUE

TAGLIE: S / L / XL

	PBJ
	1699€
TELAIO	PBJ Chromoly/100mm Front
FORCELLA	RockShox Pike DJ 26 (100mm)
SERIE STERZO	FSA No.10/7B/44
ATTACCO MANUBRIO	Transition DJ
MANUBRIO	Kore Torsion 31.8 (760mm x 50mm)
MANOPOLE	Velo Single Clamp
SELLA	Transition Pivotal DJ
REGGISELLA	Velo Plastic Pivotal
FRENI	SRAM Level (Solo Posteriore)
DISCHI FRENI	SRAM Centerline (160mm)
PIGNONE	12t Single Cog
CATENA	KMC HL710
GUARNITURA	Samox BMX 3 pc (25t, 170mm)
RUOTE	Kinlin DDT32 26 Rim/Joytec D941SB & D236SBT
PNEUMATICO ANT	Maxxis DTH (26x2.3)
PNEUMATICO POST	Maxxis DTH (26x2.3)
PESO	11.74 kg

FRAME & TECH INFO	
FORK AXLE TO CROWN	482 mm
FORK OFFSET	40 mm
HEADSET	44mm Zero Stack
BOTTOM BRACKET	73mm BSA Threaded
REAR BRAKE	160mm Post Mount
REAR AXLE	10 x 135
ISCG TABS	None
SEATPOST DIAMETER	27.2 mm
SEAT CLAMP	Built in bolt
MAXIMUM CHAINRING	32t Single
MAXIMUM TIRE	2.3x26”

TELAIO: 449€

* Le specifiche di montaggio possono variare senza preavviso. Per consultare i kit di montaggio aggiornati visita il sito www.transitionbikes.com

GEOMETRIE

SPUR CARBON	S	M	L	XL
REACH	425	455	480	510
STACK	600	610	619	632
EFFECTIVE TT LENGTH	569	602	630	664
SEAT TUBE LENGTH	380	410	460	500
EFFECTIVE ST ANGLE	76.7°	76.2°	75.9°	75.6°
SADDLE HEIGHT FOR EFFECTIVE ST ANGLE	600	660	720	780
ACTUAL ST ANGLE	72°	72°	72°	72°
SEAT TUBE OFFSET AT BB	51	51	51	51
HEAD TUBE LENGTH	100	110	120	135
HEAD TUBE ANGLE	66.0°	66.0°	66.0°	66.0°
CHAINSTAY LENGTH	435	435	435	435
WHEELBASE	1156	1190	1219	1255
BOTTOM BRACKET DROP	40	40	40	40
ESTIMATED BB HEIGHT	335	335	335	335
STAND OVER HEIGHT	662	667	670	677
FORK OFFSET	44	44	44	44

SENTINEL CARBON	S	M	L	XL	XXL
REACH	420	450	476	501	521
STACK	613	622	631	640	649
EFFECTIVE TT LENGTH	552	585	613	641	665
SEAT TUBE LENGTH	350	390	430	460	490
EFFECTIVE ST ANGLE	78.2°	77.5°	76.9°	76.4°	76.0°
SADDLE HEIGHT FOR EFFECTIVE ST ANGLE	600	660	720	780	820
ACTUAL ST ANGLE	70.8°	70.8°	70.8°	70.8°	70.8°
SEAT TUBE OFFSET AT BB	87	87	87	87	87
HEAD TUBE LENGTH	100	110	120	130	140
HEAD TUBE ANGLE	63.6°	63.6°	63.6°	63.6°	63.6°
CHAINSTAY LENGTH	440	440	440	440	440
WHEELBASE	1199	1233	1263	1292	1316
BOTTOM BRACKET DROP	29	29	29	29	29
ESTIMATED BB HEIGHT	346	346	346	347	347
STAND OVER HEIGHT	671	688	700	712	722
FORK OFFSET	43	43	43	43	43

PATROL CARBON\ALLOY	XS**	S	M	L	XL
REACH	400	425	450	475	500
STACK	596	596	605	614	623
EFFECTIVE TT LENGTH	530	555	583	611	640
SEAT TUBE LENGTH	360	360	400	440	490
EFFECTIVE ST ANGLE	78.4°	77.8°	77.1°	76.6°	76.1°
SADDLE HEIGHT FOR EFFECTIVE ST ANGLE	560	600	660	720	780
HEAD TUBE LENGTH	100	100	110	120	130
HEAD TUBE ANGLE	64.0°	64.0°	64.0°	64.0°	64.0°
CHAINSTAY LENGTH	430	430	430	430	430
WHEELBASE	1154	1179	1209	1238	1268
BOTTOM BRACKET DROP	15	15	15	15	15
ESTIMATED BB HEIGHT	340	340	340	340	340
STAND OVER HEIGHT	680	680	685	695	710
FORK OFFSET	37	37	37	37	37
ROCKER EYE TO EYE	185	185	185	185	185

SCOUT CARBON	XS	S	M	L	XL
REACH	410	435	460	485	510
STACK	577	590	604	617	631
EFFECTIVE TT LENGTH	534	564	593	623	652
SEAT TUBE LENGTH	350	360	390	430	460
EFFECTIVE ST ANGLE	78.2°	77.7°	77.2°	76.8°	76.4°
SADDLE HEIGHT FOR EFFECTIVE ST ANGLE	560	600	660	720	780
ACTUAL ST ANGLE	72°	72°	72°	72°	72°
SEAT TUBE OFFSET AT BB	63	63	63	63	63
HEAD TUBE LENGTH	95	110	125	140	155
HEAD TUBE ANGLE	64.0°	64.0°	64.0°	64.0°	64.0°
CHAINSTAY LENGTH	430	430	430	430	430
WHEELBASE	1153	1185	1217	1248	1280
BOTTOM BRACKET DROP	18	18	18	18	18
ESTIMATED BB HEIGHT	337	337	337	337	337
STAND OVER HEIGHT	665	665	673	686	698
FORK OFFSET	37	37	37	37	37

PBJ Chromoly	SHORT	LONG	X-LONG
REACH	415	440	465
STACK	569	569	569
EFFECTIVE TT LENGTH	600	625	650
SEAT TUBE LENGTH	338	338	338
EFFECTIVE ST ANGLE	72.0°	72.0°	72.0°
HEAD TUBE LENGTH	110	110	110
HEAD TUBE ANGLE	68.5°	68.5°	68.5°
CHAINSTAY LENGTH	388	388	400
WHEELBASE	1062	1087	1124
BOTTOM BRACKET DROP	20	20	20
ESTIMATED BB HEIGHT	320	320	320
STANDOVER	620	620	620
FORK OFFSET	40	40	40

RIPCORD ALLOY	ONE SIZE
REACH	366
STACK	503
EFFECTIVE TOPTUBE	510
SEAT TUBE LENGTH	317
EFFECTIVE ST ANGLE	74
HEAD TUBE LENGTH	90
HEAD TUBE ANGLE	67
CHAINSTAY LENGTH	381
WHEELBASE	1005
BOTTOM BRACKET DROP	-5

**TAGLIA XS DISPONIBILE SONO NELLA VERSIONE ALLUMINIO

ACCESSORI E SPARE PARTS

FORCELLINO UNIVERSALE TR

COMPATIBILE CON I MODELLI DAL 2015 AD OGGI

(NON COMPATIBILE CON TR500, TRIPLE, RAPTURE, PBJ AND BLT)

BUSSOLA ASSE SYNTACE

COMPATIBILE CON I MODELLI DAL 2015 AD OGGI

(NON COMPATIBILE CON TR500, TRIPLE, RAPTURE, PBJ AND BLT)

ENDURO MAX BEARING KIT

KIT CUSCINETTI TELAIO

(CONTATTACI PER SPECIFICHE E DISPONIBILITÁ)

TI SERVONO RICAMBI?

VAI SU WWW.TRANSITIONBIKES.COM E CLICCA SU "SUPPORT". TROVERAI GLI SCHEMI TECNICI DI TUTTI I MODELLI TRANSITION BIKES



WWW,TRANSITIONBIKES.COM
WWW.TRANSITIONBIKES.IT

GiddyUp

RIDERS OWNED FOR LIFE

RONDO
• Gravel • Road • Road Plus • Touring •

RONDO

NEW SPEC

VARIO GEO GRAVEL

TITANIUM / BLACK

FEATURES

TWIN dU120 VARIO GEO

HALO CLEARANCE

ROAD PLUS READY

*the photo does not show the exact final bike, some changes may apply.

WTB

SPANK wheecare

HUNT

RUUT Ti

Frame:	RONDO RUUT TITANIUM 3AL-2.5V
Fork:	RONDO TWINTIP 2.0 CARBON
Handlebar:	SPANK WING 12 VIBR}CORE
Saddle:	FABRIC SCOOP FLAT CR-TI
Seatpost:	RONDO CARBON 27.2 X 350
Brakes	SHIMANO GRX RX400
Shifters:	SHIMANO GRX RX600
Crankset:	SHIMANO GRX RX800 42T
Derraileur	SHIMANO GRX RX812
Cassette:	SRAM 10-42 11 SPEED
Wheels:	HUNT X RONDO X-WIDE ALU
Tires:	700 X 40 WTB NANO

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
TITANIUM FRAME AND CARBON TWINTIP FORK
FLAT MOUNT DISC BRAKES
FENDER MOUNTS
HALO TIRE CLEARANCE (700C X 45 OR 27.5 X 2.2")

4.799 €

GEOMETRY **RUUT Ti**



Frame:	RUUT TI CUSTOM FRAME
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	S, M, L, XL
Handlebar:	SPANK WING 12 420MM(S), 440MM(M,L), 460MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT CR-TI
Seatpost:	RONDO CARBON 350 X 27.2
Brakes	SHIMANO GRX BR-RX400
Rotors	SHIMANO SMRT70 160MM/160MM
Shifters:	SHIMANO GRX ST-RX600
Crankset:	SHIMANO GRX RX800 42T 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	BSA 68MM/SHIMANO BBR60
Deraileur front:	-
Deraileur rear:	SHIMANO GRX RD RX812
Cassette:	SRAM XG1175 10-42 11 SPEED
Chain:	SRAM PC1130
Hubs	RONDO X HUNT STRAIGHT PULL
Rims:	RONDO X HUNT GRAVEL X-WIDE ALUMINIUM
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	WTB NANO 700C X 40
Tyre clearance:	700c x 45/27.5 x 2.2 (622-45, 584-57)
Weight:	8.6KG

RUUT TI	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S	373	536	586	768	534	110	475	420	70	71	73	400	45	170	420	80
	M	383	557	596	797	551	130	510	420	70	71,5	73	400	45	172,5	440	90
	L	391	582	615	826	569	160	540	420	70	71,5	73	400	45	172,5	440	110
	XL	400	606	630	851	584	180	570	420	70	71,5	73,8	400	45	175	460	110
HI	S	381	531	594	764	532	110	475	420	76	71,8	73,8	390	55	170	420	80
	M	391	552	605	793	553	130	510	420	74	72,3	73,8	390	55	172,5	440	90
	L	397	572	625	822	571	160	540	420	74	72,3	73,8	390	55	172,5	440	110
	XL	406	601	640	847	586	180	570	420	74	72,3	73,8	390	55	175	460	110

S 165cm – 173cm
M 172cm – 180cm
L 179cm – 187cm
XL 186cm – 194cm

RONDO

NEW SPEC
NEW COLOR

VARIO GEO GRAVEL

GRAY / SLATE

FEATURES

TWIN dU120 VARIO GEO

HALO CLEARANCE

ROAD PLUS READY

FLEX DESIGN

*the photo does not show the exact final bike, some changes may apply.

WTB

SPANK wheecare

HUNT

RUUT CF1

Frame:	RONDO RUUT CARBON
Fork:	RONDO TWINTIP 2.0 CARBON
Handlebar:	SPANK WING 12 VIBROCORE
Saddle:	FABRIC SCOOP FLAT CR-TI
Seatpost:	RONDO CARBON 27.2 X 350
Brakes	SRAM FORCE HYDRAULIC BRAKES
Shifters:	SRAM FORCE 1
Crankset:	SRAM FORCE 1 DUB 42T
Derraileur	SRAM FORCE 1
Cassette:	SRAM XG 1150 10-42 11 SPEED
Wheels:	HUNT X RONDO X-WIDE ALU
Tires:	700 X 40 WTB NANO

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
CUSTOM HIGH END CARBON FRAME
EPS TECHNOLOGY, INTERNAL CABLE ROUTING
UNIQUE CARBON TWINTIP FORK
1X AND 2X DRIVETRAIN COMPATIBLE
HALO TIRE CLEARANCE (700C X 45 OR 27.5 X 2.2")
CUSTOM CNC FENDER MOUNT ON SS

3.999 €

GEOMETRY **RUUT CF1**



Frame:	RUUT FLEX DESIGN EPS CARBON
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	S, M, L, XL
Handlebar:	SPANK WING 12 420MM(S), 440MM(M,L), 460MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT CR-TI
Seatpost:	RONDO CARBON 350 X 27.2
Brakes	SRAM FORCE HYDRAULIC BRAKES
Rotors	SRAM RT-CLN-A2 160MM/160MM
Shifters:	SRAM FORCE 1
Crankset:	SRAM FORCE 1 DUB X-SYNC 42T 170MM(S), 172.5MM(M,L), 175MM

Bottom bracket:	EVO 386/SRAM DUB
Deraileur front:	-
Deraileur rear:	SRAM FORCE 1
Cassette:	SRAM XG1175 10-42 11 SPEED
Chain:	SRAM PC1130
Hubs	RONDO X HUNT STRAIGHT PULL
Rims:	RONDO X HUNT GRAVEL X-WIDE ALUMINIUM
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	WTB NANO 700C X 40
Tyre clearance:	700c x 45/27.5 x 2.2 (622-45, 584-57)
Weight:	8.2KG

RUUT CF1	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S	374	536	591	768	538	110	495	420	70	70,5	73	400	45	170	420	80
	M	382	558	597	797	553	130	530	420	70	71,5	73	400	45	172,5	440	90
	L	392	587	615	826	571	160	560	420	70	71,5	73	400	45	172,5	440	110
	XL	400	606	630	851	585	180	590	420	70	71,5	73	400	45	175	460	110
HI	S	381	531	601	764	536	110	495	420	74	71,3	73,5	390	55	170	420	80
	M	390	553	606	793	551	130	530	420	74	72,3	73,5	390	55	172,5	440	90
	L	400	582	625	822	569	160	560	420	74	72,3	73,5	390	55	172,5	440	110
	XL	406	601	638	847	579	180	590	420	73,8	72,3	73,5	390	55	175	460	110

S 165cm – 173cm
M 172cm – 180cm
L 179cm – 187cm
XL 186cm – 194cm

RONDO

RONDO

CONTINUED

VARIO GEO GRAVEL

BLACK / BLACK

FEATURES

TWIN d120 VARIO GEO

HALO CLEARANCE

ROAD PLUS READY

FLEX DESIGN

*the photo does not show the exact final bike, some changes may apply.

RUUT CF2

Frame:	RONDO RUUT CARBON
Fork:	RONDO TWINTIP 2.0 CARBON
Handlebar:	RONDO FLARE
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO ALU 27.2 X 350
Brakes	SRAM RIVAL HYDRAULIC BRAKES
Shifters:	SRAM RIVAL 1
Crankset:	SRAM RIVAL 1 42T
Derraileur	SRAM RIVAL 1
Cassette:	SRAM XG 1150 10-42 11 SPEED
Wheels:	RONDO ALU RIMS/SEALED BEARING
Tires:	700 X 40 WTB NANO

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
CUSTOM HIGH END CARBON FRAME
EPS TECHNOLOGY, INTERNAL CABLE ROUTING
UNIQUE CARBON TWINTIP FORK
1X AND 2X DRIVETRAIN COMPATIBLE
HALO TIRE CLEARANCE (700C X 45 OR 27.5 X 2.2")
CUSTOM CNC FENDER MOUNT ON SS

3.149 €

NEW MODEL

VARIO GEO GRAVEL

BLUE/ STONE

FEATURES

TWIN d120 VARIO GEO

HALO CLEARANCE

ROAD PLUS READY

FLEX DESIGN

RUUT CF2 2X

Frame:	RONDO RUUT CARBON
Fork:	RONDO TWINTIP 2.0 CARBON
Handlebar:	RONDO FLARE
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO ALU 27.2 X 350
Brakes	SHIMANO GRX RX400
Shifters:	SHIMANO GRX RX400
Crankset:	SHIMANO GRX RX600 46/30
Derraileur	SHIMANO GRX RD-RX400/FD-RX400
Cassette:	SHIMANO CSHG500 11-36 10 speed
Wheels:	RONDO ALU RIMS/SEALED BEARING
Tires:	700 X 37 WTB RIDDLER

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
CUSTOM HIGH END CARBON FRAME
EPS TECHNOLOGY, INTERNAL CABLE ROUTING
UNIQUE CARBON TWINTIP FORK
1X AND 2X DRIVETRAIN COMPATIBLE
HALO TIRE CLEARANCE (700C X 45 OR 27.5 X 2.2")
CUSTOM CNC FENDER MOUNT ON SS

OUR CLASSIC RUUT IS VERY AGGRESSIVE OFF-ROAD ORIENTATED BIKE. WITH THIS NEW VERSION WE WANTED TO ADDRESS THE NEEDS OF PEOPLE WHO'S MAIN INTEREST IS BIKE PACKING AND LONG DISTANCE RIDING ON VARIED TERRAIN. FASTER ROLLING TIRES AND A 2X DRIVETRAIN WITH A BIG RANGE AND DENSER GEARING MAKES THIS SETUP A GREAT CHOICE FOR EXACTLY THOSE APPLICATIONS.

2.899 €

GEOMETRY **RUUT CF2**



Frame:	RUUT FLEX DESIGN EPS CARBON
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	S, M, L, XL
Handlebar:	RONDO FLARE 420MM(S), 440MM(M,L), 460MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT CRO-MO
Seatpost:	RONDO 350 X 27.2
Brakes	SRAM RIVAL HYDRAULIC BRAKES
Rotors	SRAM RT-CLN-A2 160MM/160MM
Shifters:	SRAM RIVAL 1
Crankset:	SRAM RIVAL 1 X-SYNC 42T 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	EVO 386/FSA PF30 with GXP adapter
Derraileur front:	-
Derraileur rear:	SRAM RIVAL 1
Cassette:	SRAM XG1150 10-42 11 SPEED
Chain:	SRAM PC1130
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO ALUMINIUM 622-23
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	WTB NANO 700C X 40
Tyre clearance:	700c x 45/27.5 x 2.2 (622-45, 584-57)
Weight:	8.8KG

RUUT CF2	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S	374	536	591	768	538	110	495	420	70	70,5	73	400	45	170	420	80
	M	382	558	597	797	553	130	530	420	70	71,5	73	400	45	172,5	440	90
	L	392	587	615	826	571	160	560	420	70	71,5	73	400	45	172,5	440	110
	XL	400	606	630	851	585	180	590	420	70	71,5	73	400	45	175	460	110
HI	S	381	531	601	764	536	110	495	420	74	71,3	73,5	390	55	170	420	80
	M	390	553	606	793	551	130	530	420	74	72,3	73,5	390	55	172,5	440	90
	L	400	582	625	822	569	160	560	420	74	72,3	73,5	390	55	172,5	440	110
	XL	406	601	638	847	579	180	590	420	73,8	72,3	73,5	390	55	175	460	110

S 165cm – 173cm
M 172cm – 180cm
L 179cm – 187cm
XL 186cm – 194cm

RONDO

GEOMETRY **RUUT CF2 2x**



Frame:	RUUT FLEX DESIGN EPS CARBON
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	S, M, L, XL
Handlebar:	RONDO FLARE 420MM(S), 440MM(M,L), 460MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT CRO-MO
Seatpost:	RONDO 350 X 27.2
Brakes	SHIMANO GRX BR-RX400
Rotors	SHIMANO SMRT56 160MM/160MM
Shifters:	SHIMANO GRX RX400
Crankset:	SHIMANO GRX RX600 46/30 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	EVO 386 with HTII adapter
Derraileur front:	SHIMANO GRX FD-RX400
Derraileur rear:	SHIMANO GRX RD-RX400
Cassette:	SHIMANO HG-50-10 11-36 10 SPEED
Chain:	SHIMANO KCN4601
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO ALUMINIUM 622-23
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	WTB RIDDLER 700C X 37
Tyre clearance:	700c x 45/27.5 x 2.2 (622-45, 584-57)

RUUT CF2	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S	374	536	591	768	538	110	495	420	70	70,5	73	400	45	170	420	80
	M	382	558	597	797	553	130	530	420	70	71,5	73	400	45	172,5	440	90
	L	392	587	615	826	571	160	560	420	70	71,5	73	400	45	172,5	440	110
	XL	400	606	630	851	585	180	590	420	70	71,5	73	400	45	175	460	110
HI	S	381	531	601	764	536	110	495	420	74	71,3	73,5	390	55	170	420	80
	M	390	553	606	793	551	130	530	420	74	72,3	73,5	390	55	172,5	440	90
	L	400	582	625	822	569	160	560	420	74	72,3	73,5	390	55	172,5	440	110
	XL	406	601	638	847	579	180	590	420	73,8	72,3	73,5	390	55	175	460	110

S 165cm – 173cm
M 172cm – 180cm
L 179cm – 187cm
XL 186cm – 194cm

RONDO

RONDO

NEW MODEL

VARIO GEO GRAVEL

EGGPLANT / ORANGE

FEATURES

TWIN dUZO VARIO GEO

HALO CLEARANCE

ROAD PLUS READY

FLEX DESIGN

RUUT X

Frame:	RONDO RUUT CARBON
Fork:	RONDO TWINTIP 2.0 CARBON
Handlebar:	EASTON EC70 AERO CF
Saddle:	FABRIC SCOOP FLAT CR-TI
Seatpost:	RONDO CARBON 27.2 X 350
Brakes	SHIMANO GRX RX400
Shifters:	SHIMANO GRX RX600
Crankset:	SHIMANO GRX RX600 42T
Derraileur	SHIMANO GRX RX812
Cassette:	SUNRACE CSRX1 11-36 11speed
Wheels:	RONDO X HUNT AERO WIDE ALU
Tires:	700 x 33 SCHWALBE X-ONE ALLROUND

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
CUSTOM HIGH END CARBON FRAME
EPS TECHNOLOGY, INTERNAL CABLE ROUTING
UNIQUE CARBON TWINTIP FORK
1X AND 2X DRIVETRAIN COMPATIBLE
HALO TIRE CLEARANCE (700C X 45 OR 27.5 X 2.2")
CUSTOM CNC FENDER MOUNT ON SS

EASTON

HUNT

THIS VERSION OF RUUT HAS EVERYTHING THAT SPEED-LOVING RIDERS NEED: A NARROW AERO BAR WITH NO FLARE, LIGHTWEIGHT COMPONENTS, CX TIRES AND A CASSETTE WITH NARROWER SPACING. THIS IS A SPEC USED BY GUYS WHO TAKE PART IN CROSS RACES AND WHO RIDE IN FAST GROUP RIDES ON GRAVEL. EVEN CX PRO'S WHO HAVE RIDDEN THIS BIKE AGREE THAT THE RUUT IN THIS SETUP IS PERHAPS ONE OF THE MOST 'RACY' GRAVEL BIKES ON THE MARKET AND IS PERFECT FOR CROSS RACING. YOU CAN ALSO PUT THIS BIKE ON BIGGER GRAVEL TIRES AND YOU HAVE ONE HECK OF AN OFF-ROAD SPEED MACHINE.

3.599 €

NEW COLOR

NEW ADDITIONAL XS SIZE

VARIO GEO GRAVEL

RAW / GREY

FEATURES

TWIN dUZO VARIO GEO

HALO CLEARANCE

ROAD PLUS READY

FLEX DESIGN

*the photo does not show the exact final bike, some changes may apply.

WTB

RUUT AL1

Frame:	RONDO RUUT AL 2.0 6061
Fork:	RONDO TWINTIP 2.0 CARBON
Handlebar:	RONDO FLARE
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO ALU 27.2 X 350
Brakes	SRAM APEX HYDRO
Shifters:	SRAM APEX 1
Crankset:	RONDO DIRECT 42T
Derraileur	SRAM APEX 1
Cassette:	SUNRACE 11-42
Wheels:	RONDO ALU RIMS/SEALED BEARING
Tires:	WTB 700C X 40 NANO (S-XL) SCHWALBE G-ONE BITE 650-40

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
BRIDGELESS SEATSAYS WITH CUSTOM FENDER MOUNT
COMPLETE SET OF FENDER, RACK, BAG AND BOTTLE MOUNTS
NEW FORGED CS YOKE AND PRESS FIT BB FOR EVEN MORE TYRE CLEARANCE
LIGHTER, HYDROFORMED TUBING WITH INTEGRATED INTERNAL CABLE ROUTING
FLATTENED STAYS PROFILE AND S-BEND SHAPE FOR INCREASED BUMP COMPLIANCE
HALO TIRE CLEARANCE (700C X 45 OR 27.5 X 2.2")

2.099 €

GEOMETRY **RUUT X**



Frame:	RUUT FLEX DESIGN EPS CARBON
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	S, M, L, XL
Handlebar:	EASTON EC70 AERO 400MM(S), 420MM(M,L), 440MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT CR-TI
Seatpost:	RONDO CARBON 350 X 27.2
Brakes	SHIMANO GRX BR-RX400
Rotors	SHIMANO SMRT70 160MM/160MM
Shifters:	SHIMANO GRX RX600
Crankset:	SHIMANO GRX RX800 42T 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	EVO 386 with HTII adapter
Derraileur front:	-
Derraileur rear:	SHIMANO GRX RX812
Cassette:	SUNRACE CSRX1 11-36 11 SPEED
Chain:	KMC X11
Hubs	RONDO X HUNT STRAIGHT PULL
Rims:	RONDO X HUNT AERO WIDE ALUMINIUM
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	SCHWALBE X-ONE ALLROUND 700C X 33
Tyre clearance:	700c x 45/27.5 x 2.2 (622-45, 584-57)

RUUT X		Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
			mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
	LO	S	374	536	591	768	538	110	495	420	70	70,5	73	400	45	170	420	80
		M	382	558	597	797	553	130	530	420	70	71,5	73	400	45	172,5	440	90
		L	392	587	615	826	571	160	560	420	70	71,5	73	400	45	172,5	440	110
		XL	400	606	630	851	585	180	590	420	70	71,5	73	400	45	175	460	110
	HI	S	381	531	601	764	536	110	495	420	74	71,3	73,5	390	55	170	420	80
		M	390	553	606	793	551	130	530	420	74	72,3	73,5	390	55	172,5	440	90
		L	400	582	625	822	569	160	560	420	74	72,3	73,5	390	55	172,5	440	110
		XL	406	601	638	847	579	180	590	420	73,8	72,3	73,5	390	55	175	460	110

S	165cm	173cm
M	172cm	180cm
L	179cm	187cm
XL	186cm	194cm

RONDO

GEOMETRY **RUUT AL1**



Frame:	RUUT 2.0 CUSTOM FORMED AL6061-T6
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	XS, S, M, L, XL
Handlebar:	RONDO FLARE 400MM (XS), 420MM(S), 440MM(M,L), 460MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(XS,S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 350 X 27.2
Brakes	SRAM APEX1
Rotors	SRAM G2CS 160MM/160MM
Shifters:	SRAM APEX 1
Crankset:	RONDO DIRECT 42T 165 (XS), 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	PF 86/SHIMANO BB RS500
Derraileur front:	-
Derraileur rear:	SRAM APEX 1
Cassette:	SUNRACE CSMS7 11-42 11 SPEED
Chain:	SRAM PC1130
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO ALUMINIUM 622-23/584-23(XS)
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.5
Tyres:	WTB NANO 700C X 40/SCHWALBE G-ONE BITE 650B X 40 (XS)
Tyre clearance:	700c x 45/27.5 x 2.2 (622-45, 584-57)
Weight:	10.1KG

RUUT AL1		Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
			mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
	LO	XS	371	519	588	755	530	100	450	420	65	70	73	400	45	165	400	80
		S	374	536	591	768	538	110	475	420	70	70,5	73	400	45	170	420	80
		M	382	558	597	797	553	130	510	420	70	71,5	73	400	45	172,5	440	90
		L	392	587	615	826	571	160	540	420	70	71,5	73	400	45	172,5	440	110
		XL	400	606	630	851	585	180	570	420	70	71,5	73	400	45	175	460	110
	HI	XS	378	515	598	751	528	100	450	420	69	70,8	73,8	390	55	165	400	80
		S	381	531	601	764	536	110	475	420	74	71,3	73,8	390	55	170	420	80
		M	390	553	606	793	551	130	510	420	74	72,3	73,8	390	55	172,5	440	90
		L	400	582	625	822	569	160	540	420	74	72,3	73,8	390	55	172,5	440	110
		XL	406	601	638	847	579	180	570	420	73,8	72,3	73,8	390	55	175	460	110

XS	150cm	165cm
S	165cm	173cm
M	172cm	180cm
L	179cm	187cm
XL	186cm	194cm

RONDO

RONDO

NEW MODEL

NEW ADDITIONAL XS SIZE

VARIO GEO GRAVEL

SHARKSKIN / BLACK

FEATURES

TWIN dUZO VARIO GEO

HALO CLEARANCE

ROAD PLUS READY

FLEX DESIGN

*the photo does not show the exact final bike, some changes may apply.

WTB

OUR CLASSIC RUUT IS VERY AGGRESSIVE OFF-ROAD ORIENTATED BIKE. WITH THIS NEW VERSION WE WANTED TO ADDRESS THE NEEDS OF PEOPLE WHO'S MAIN INTEREST IS BIKE PACKING AND LONG DISTANCE RIDING ON VARIED TERRAIN. FASTER ROLLING TIRES AND A 2X DRIVETRAIN WITH A BIG RANGE AND DENSER GEARING MAKES THIS SETUP A GREAT CHOICE FOR EXACTLY THOSE APPLICATIONS.

RUUT AL1 2X

Frame:	RONDO RUUT AL 2.0 6061
Fork:	RONDO TWINTIP 2.0 CARBON
Handlebar:	RONDO FLARE
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO ALU 27.2 X 350
Brakes	SHIMANO GRX RX400
Shifters:	SHIMANO GRX RX400
Crankset:	RONDO 46/30
Derraileur	SHIMANO GRX RX400
Cassette:	SHIMANO CSHG500 11-36 10 speed
Wheels:	RONDO ALU RIMS/SEALED BEARING
Tires:	700 X 37 WTB RIDDLER SCHWALBE G-ONE ALLROUND 650-35

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
BRIDGELESS SEATSAYS WITH CUSTOM FENDER MOUNT
COMPLETE SET OF FENDER, RACK, BAG AND BOTTLE MOUNTS
NEW FORGED CS YOKE AND PRESS FIT BB
FOR EVEN MORE TYRE CLEARANCE
LIGHTER, HYDROFORMED TUBING WITH
INTEGRATED INTERNAL CABLE ROUTING
FLATTENED STAYS PROFILE AND S-BEND SHAPE FOR
INCREASED BUMP COMPLIANCE
HALO TIRE CLEARANCE (700C X 45 OR 27.5 X 2.2")

FEATURES

GRX 2X10 DRIVETRAIN
46/30 WIDE RANGE CRANKSET
NEW XS SIZE (WITH 650B WHEELS)

2.099 €

NEW SPEC

NEW COLOR

NEW ADDITIONAL XS SIZE

VARIO GEO GRAVEL

PURPLE / BLACK

FEATURES

TWIN dUZO VARIO GEO

HALO CLEARANCE

ROAD PLUS READY

FLEX DESIGN

*the photo does not show the exact final bike, some changes may apply.

WTB

RUUT AL2

Frame:	RONDO RUUT AL 2.0 6061
Fork:	RONDO TWINTIP 2.0 CARBON
Handlebar:	RONDO FLARE
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 27.2 X 350
Brakes	TRP SPYRE
Shifters:	SRAM APEX 1
Crankset:	FSA OMEGA 42T
Derraileur	SRAM APEX 1
Cassette:	SUNRACE 11-42
Wheels:	RONDO ALU RIMS/SEALED BEARING
Tires:	WTB 700C X 40 NANO (S-XL) SCHWALBE G-ONE BITE 650-40

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
BRIDGELESS SEATSAYS WITH CUSTOM FENDER MOUNT
COMPLETE SET OF FENDER, RACK, BAG AND BOTTLE MOUNTS
NEW FORGED CS YOKE AND PRESS FIT BB FOR
EVEN MORE TYRE CLEARANCE
LIGHTER, HYDROFORMED TUBING WITH
NTEGRATED INTERNAL CABLE ROUTING
FLATTENED STAYS PROFILE AND S-BEND SHAPE
FOR INCREASED BUMP
HALO TIRE CLEARANCE (700C X 45 OR 27.5 X 2.2")

1.699 €

GEOMETRY **RUUT AL1 2x**



Frame:	RUUT 2.0 CUSTOM FORMED AL6061-T6
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	XS, S, M, L, XL
Handlebar:	RONDO FLARE 400MM (XS), 420MM(S), 440MM(M,L), 460MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(XS,S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 350 X 27.2
Brakes	SHIMANO GRX R400
Rotors	SHIMANO SMRT56 160MM/160MM
Shifters:	SHIMANO GRX RX400
Crankset:	RONDO 46/30 165MM (XS) 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	PF 86/SHIMANO BB RS500
Deraileur front:	SHIMANO FD RX400
Deraileur rear:	SHIMANO RD RX400
Cassette:	SHIMANO HG-50-10 11-36 10 SPEED
Chain:	SHIMANO KCN4601
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO ALUMINIUM 622-23/584-23(XS)
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.5
Tyres:	WTB RIDDLER 700C X 37/SCHWALBE G-ONE ALLROUND 650B X 40
Tyre clearance:	700c x 45/27.5 x 2.2 (622-45, 584-57)

RUUT AL1		Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
			mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
	LO	XS	371	519	588	755	530	100	450	420	65	70	73	400	45	165	400	80
		S	374	536	591	768	538	110	475	420	70	70,5	73	400	45	170	420	80
		M	382	558	597	797	553	130	510	420	70	71,5	73	400	45	172,5	440	90
		L	392	587	615	826	571	160	540	420	70	71,5	73	400	45	172,5	440	110
		XL	400	606	630	851	585	180	570	420	70	71,5	73	400	45	175	460	110
	HI	XS	378	515	598	751	528	100	450	420	69	70,8	73,8	390	55	165	400	80
		S	381	531	601	764	536	110	475	420	74	71,3	73,8	390	55	170	420	80
		M	390	553	606	793	551	130	510	420	74	72,3	73,8	390	55	172,5	440	90
		L	400	582	625	822	569	160	540	420	74	72,3	73,8	390	55	172,5	440	110
		XL	406	601	638	847	579	180	570	420	73,8	72,3	73,8	390	55	175	460	110

RONDO

GEOMETRY **RUUT AL2**



Frame:	RUUT 2.0 CUSTOM FORMED AL6061-T6
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	XS, S, M, L, XL
Handlebar:	RONDO FLARE 400MM (XS), 420MM(S), 440MM(M,L), 460MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(XS,S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 350 X 27.2
Brakes	TRP SPYRE
Rotors	TRP 160MM/160MM
Shifters:	SRAM APEX 1
Crankset:	FSA OMEGA 42T 160MM (XS), 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	PF 86/FSA
Deraileur front:	-
Deraileur rear:	SRAM APEX 1
Cassette:	SUNRACE CSMS7 11-42 11 SPEED
Chain:	SRAM PC1130
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO ALUMINIUM 622-23/584-23(XS)
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.5
Tyres:	WTB NANO 700C X 40/SCHWALBE G-ONE BITE 650B X 40 (XS)
Tyre clearance:	700c x 45/27.5 x 2.2 (622-45, 584-57)

RUUT AL2		Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
			mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
	LO	XS	371	519	588	755	530	100	450	420	65	70	73	400	45	165	400	80
		S	374	536	591	768	538	110	475	420	70	70,5	73	400	45	170	420	80
		M	382	558	597	797	553	130	510	420	70	71,5	73	400	45	172,5	440	90
		L	392	587	615	826	571	160	540	420	70	71,5	73	400	45	172,5	440	110
		XL	400	606	630	851	585	180	570	420	70	71,5	73	400	45	175	460	110
	HI	XS	378	515	598	751	528	100	450	420	69	70,8	73,8	390	55	165	400	80
		S	381	531	601	764	536	110	475	420	74	71,3	73,8	390	55	170	420	80
		M	390	553	606	793	551	130	510	420	74	72,3	73,8	390	55	172,5	440	90
		L	400	582	625	822	569	160	540	420	74	72,3	73,8	390	55	172,5	440	110
		XL	406	601	638	847	579	180	570	420	73,8	72,3	73,8	390	55	175	460	110

RONDO

RONDO

NEW SPEC

NEW COLOR

NEW ADDITIONAL XS SIZE

VARIO GEO GRAVEL

BLACK / BLACK

FEATURES

TWIN d1.2.0 VARIO GEO

HALO CLEARANCE

ROAD PLUS READY

FLEX DESIGN

*the photo does not show the exact final bike, some changes may apply.

WTB

1.699 €

RUUT AL2

Frame: RONDO RUUT AL 2.0 6061
Fork: RONDO TWINTIP 2.0 CARBON
Handlebar: RONDO FLARE
Saddle: FABRIC SCOOP FLAT
Seatpost: RONDO 27.2 X 350
Brakes TRP SPYRE
Shifters: SRAM APEX 1
Crankset: FSA OMEGA 42T
Derraileur SRAM APEX 1
Cassette: SUNRACE 11-42
Wheels: RONDO ALU RIMS/SEALED BEARING
Tires: WTB 700C X 40 NANO (S-XL)
SCHWALBE G-ONE BITE 650-40

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
BRIDGELESS SEATSAYS WITH CUSTOM FENDER MOUNT
COMPLETE SET OF FENDER, RACK, BAG AND BOTTLE MOUNTS
NEW FORGED CS YOKE AND PRESS FIT BB FOR EVEN MORE TYRE CLEARANCE
LIGHTER, HYDROFORMED TUBING
WITH INTEGRATED INTERNAL CABLE ROUTING
FLATTENED STAYS PROFILE AND S-BEND SHAPE FOR INCREASED BUMP COMPLIANCE
HALO TIRE CLEARANCE (700 C X 45 OR 27.5 X 2.2")

CONTINUED

VARIO GEO GRAVEL

BLACK / BLACK

FEATURES

TWIN d1.2.0 VARIO GEO

ROAD PLUS READY

FLEX DESIGN

*the photo does not show the exact final bike, some changes may apply.

WTB

2.599 €

RUUT ST1

Frame: RONDO RUUT ST 2.0 TANGE PRESTIGE
Fork: RONDO TWINTIP 2.0 CARBON
Handlebar: RONDO FLARE
Saddle: FABRIC SCOOP FLAT
Seatpost: RONDO 27.2 X 350
Brakes SRAM RIVAL HYDRAULIC BRAKES
Shifters: SRAM RIVAL 1
Crankset: SRAM S350-1 42T
Derraileur SRAM RIVAL 1
Cassette: SUNRACE 11-42
Wheels: RONDO ALU RIMS/SEALED BEARING
Tires: 700 X 40 WTB NANO

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
LIGHTER FRAME WITH CUSTOM FORMED OVALISED TT
COMPLETE SET OF FENDER, RACK, BAG AND BOTTLE MOUNTS
FLEXIBLE SEAT STAYS AND EXPOSED SEATPOST FOR MORE RIDE COMFORT
TIRE CLEARANCE (700C X 40 AND 650B X 2.1")

RUUT ST1

GEOMETRY **RUUT ST1**



Frame:	RUUT 2.0 TANGE
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	S, M, L, XL
Handlebar:	RONDO FLARE 420MM(S), 440MM(M,L), 460MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 350 X 27.2
Brakes	SRAM RIVAL HYDRAULIC BRAKES
Rotors	SRAM G2CS 160MM/160MM
Shifters:	SRAM RIVAL 1
Crankset:	SRAM S350-1 X-SYNC 42T 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	BSA 68mm
Derraileur front:	-
Derraileur rear:	SRAM RIVAL 1
Cassette:	SUNRACE CSMS7 11-42 11 SPEED
Chain:	SRAM PC1130
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO ALUMINIUM 622-23
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	WTB NANO 700C X 40
Tyre clearance:	700c x 40/27.5 x 2.2 (622-40, 584-57)
Weight:	10.2KG

RUUT ST1		Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
			mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
	LO	S	373	536	586	768	534	110	475	420	70	70,5	73	400	45	170	420	80
		M	383	557	596	797	551	130	510	420	70	71,5	73	400	45	172,5	440	90
		L	391	582	615	826	569	160	540	420	70	71,5	73	400	45	172,5	440	110
		XL	400	606	630	851	584	180	570	420	70	71,5	73	400	45	175	460	110
	HI	S	381	531	594	764	532	110	475	420	74	71,3	73,8	390	55	170	420	80
		M	391	552	605	793	553	130	510	420	74	72,3	73,8	390	55	172,5	440	90
		L	397	572	625	822	571	160	540	420	74	72,3	73,8	390	55	172,5	440	110
		XL	406	601	640	847	586	180	570	420	73,8	72,3	73,8	390	55	175	460	110

RONDO

RONDO

NEW SPEC

NEW COLOR

VARIO GEO GRAVEL

SHARKSKIN / BLACK

FEATURES

TWIN dILZO

VARIO GEO

ROAD PLUS READY

WTB

RUUT ST2

Frame:	RONDO RUUT TANGE CHAMPION
Fork:	RONDO TWINTIP 2.0 CARBON
Handlebar:	RONDO FLARE
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 27.2 X 350
Brakes	TRP SPYRE
Shifters:	SRAM APEX 1
Crankset:	FSA OMEGA 42T
Derraileur	SRAM APEX 1
Cassette:	SUNRACE 11-42
Wheels:	RONDO ALU RIMS/SEALED BEARING
Tires:	700 X 40 WTB NANO

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
TITANIUM FRAME AND CARBON TWINTIP FORK
FLAT MOUNT DISC BRAKES
FENDERS MOUNTS
TIRE CLEARANCE (700C X 40 AND 650B X 2.1")

2.099 €

GEOMETRY **RUUT ST2**



Frame:	RUUT TANGE
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	S, M, L, XL
Handlebar:	RONDO FLARE 420MM(S), 440MM(M,L), 460MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 350 X 27.2
Brakes	TRP SPYRE
Rotors	TRP 160MM/160MM
Shifters:	SRAM APEX 1
Crankset:	FSA OMEGA 42T 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	BSA 68mm
Deraileur front:	-
Deraileur rear:	SRAM APEX 1
Cassette:	SUNRACE CSMS7 11-42 11 SPEED
Chain:	SRAM PC1130
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO ALUMINIUM 622-23
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	WTB NANO 700C X 40
Tyre clearance:	700c x 40/27.5 x 2.2 (622-40, 584-57)
Weight:	10.4KG

RUUT ST2	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S	373	536	586	768	534	110	495	420	70	70,5	73	400	45	170	420	80
	M	383	557	596	797	551	130	530	420	70	71,5	73	400	45	172,5	440	90
	L	391	582	615	826	569	160	560	420	70	71,5	73	400	45	172,5	440	110
	XL	400	606	630	851	584	180	590	420	70	71,5	73	400	45	175	460	110
HI	S	381	531	594	764	532	110	495	420	74	71,3	73,8	390	55	170	420	80
	M	391	552	605	793	553	130	530	420	74	72,3	73,8	390	55	172,5	440	90
	L	397	572	625	822	571	160	560	420	74	72,3	73,8	390	55	172,5	440	110
	XL	406	601	640	847	586	180	590	420	73,8	72,3	73,8	390	55	175	460	110

S	165cm	173cm
M	172cm	180cm
L	179cm	187cm
XL	186cm	194cm

RONDO

NEW COLOR

NEW SPEC

AERO ROAD PLUS

PEWTER / LIME

FEATURES

TWIN dILZO

VARIO GEO

ROAD PLUS READY

FLY

FLY CARBON

*the photo does not show the exact final bike, some changes may apply.

EASTON

HUNT

Continental

HVRT CFO

Frame:	RONDO HVRT AERO FLY CARBON
Fork:	RONDO TWINTIP CARBON
Handlebar:	EASTON EC70 AERO
Saddle:	FABRIC ALM
Seatpost:	RONDO CF AERO
Brakes	SHIMANO DURA ACE R9170
Shifters:	SHIMANO DURA ACE R9120
Crankset:	SHIMANO DURA ACE R9100 52/36
Derraileur	SHIMANO DURA ACE RD-R9100/FD-R9100
Cassette:	SHIMANO ULTEGRA 11-30
Wheels:	RONDO X HUNT CARBON LIMITLESS
Tires:	CONTINENTAL GRAND PRIX 5000 700C X 25

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
CUSTOM HIGH END CARBON FRAME
EPS TECHNOLOGY, INTERNAL CABLE ROUTING
UNIQUE CARBON TWINTIP FORK
ROADPLUS READY (700C X 30 AND 650B X 47C)

6.999 €

GEOMETRY **HVRT CFO**



Frame:	RUUT Aero DESIGN SUPERLIGHT CARBON
Fork:	TWINTIP CARBON
Frame sizes:	S, M, L, XL
Handlebar:	EASTON EC70 AERO 400MM(S), 420MM(M,L), 440MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 90MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC ALMS CF
Seatpost:	RONDO AERO carbon
Brakes	Shimano DURA-ACE BR-R9170
Rotors	Shimano SMRT900 160MM/140MM
Shifters:	Shimano DURA-ACE ST-R9120
Crankset:	Shimano DURA ACE FC-R9100 52/36

Bottom bracket:	EVO 386 with HTII adapter
Deraileur front:	Shimano DURA-ACE FD R9100
Deraileur rear:	Shimano DURA-ACE RD R9100
Cassette:	Shimano KCS8000 11-30T 11 SPEED
Chain:	Shimano HG701
Hubs	RONDO X HUNT STRAIGHT PULL
Rims:	RONDO X HUNT CARBON LIMITLESS
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	CONTINENTAL GP 5000 700C X 25
Tyre clearance:	700c x 30/650b x 47 (622-30, 584-47)
Weight:	7.5KG

HVRT CFO	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S51	372	520	568	780	532	111	500	408	67	71,6	72,8	380	40	170	400	90
	M54	378	553	581	805	551	144	530	408	67	72,1	72,6	380	40	172,5	420	90
	L56	388	570	589	825	566	160	550	408	67	72,8	72,6	380	40	172,5	420	110
	XL59	400	605	608	840	589	195	570	410	67	73,1	72,6	380	40	175	440	110
HI	S51	378	515	571	775	531	111	500	408	72	72,3	73,5	370	45	170	400	90
	M54	385	548	584	800	550	144	530	408	72	72,8	73,3	370	45	172,5	420	90
	L56	394	566	592	820	564	160	550	408	72	73,5	73,3	370	45	172,5	420	110
	XL59	407	600	614	830	587	195	570	410	72	73,8	73,3	370	45	175	440	110

S	165cm	173cm
M	172cm	180cm
L	179cm	187cm
XL	186cm	194cm

RONDO

RONDO

NEW SPEC
NEW COLOR
NEW PRICE

AERO ROAD PLUS

CHALK / CAMO

FEATURES

TWIN dII VARIO GEO

ROAD PLUS READY

FLY CARBON

*the photo does not show the exact final bike, some changes may apply.

EASTON

HUNT

Continental

HVRT CF1

Frame:	RONDO HVRT AERO FLY CARBON
Fork:	RONDO TWINTIP CARBON
Handlebar:	EASTON EC70 AERO
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO CF AERO
Brakes	SHIMANO ULTEGRA R8070
Shifters:	SHIMANO ULTEGRA R8020
Crankset:	SHIMANO ULTEGRA R8000 52/36
Derraileur	SHIMANO ULTEGRA RD-R8000/FD-R8000
Cassette:	SHIMANO 105 11-30
Wheels:	RONDO X HUNT CARBON LIMITLESS
Tires:	CONTINENTAL GRAND SPORT 700c x 25

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
CUSTOM HIGH END CARBON FRAME
EPS TECHNOLOGY, INTERNAL CABLE ROUTING
UNIQUE CARBON TWINTIP FORK
ROADPLUS READY (700C X 30 AND 650B X 47C)

5.399 €

NEW SPEC

AERO ROAD PLUS

BLACK / BLACK

FEATURES

TWIN dII VARIO GEO

ROAD PLUS READY

*the photo does not show the exact final bike, some changes may apply.

EASTON

HUNT

Continental

HVRT CF2

Frame:	RONDO HVRT AERO CARBON
Fork:	RONDO TWINTIP CARBON
Handlebar:	RONDO ROAD ALU
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO CF AERO
Brakes	SHIMANO 105 BR7070
Shifters:	SHIMANO 105 R7020
Crankset:	SHIMANO 105 R7000 52/36
Derraileur	SHIMANO 105 RD-R7000/FD-R7000
Cassette:	SHIMANO 105 11-30
Wheels:	RONDO X HUNT AERO WIDE ALU
Tires:	CONTINENTAL GRAND SPORT 700c x25

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
CUSTOM HIGH END CARBON FRAME
EPS TECHNOLOGY, INTERNAL CABLE ROUTING
UNIQUE CARBON TWINTIP FORK
ROADPLUS READY (700C X 30 AND 650B X 47C)

3.799 €

GEOMETRY **HVRT CF1**



Frame:	RUUT Aero DESIGN SUPERLIGHT CARBON
Fork:	TWINTIP CARBON
Frame sizes:	S, M, L, XL
Handlebar:	EASTON EC70 AERO 400MM(S), 420MM(M,L), 440MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 90MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT CR-TI
Seatpost:	RONDO AERO carbon
Brakes	Shimano Ultegra BR-R8070
Rotors	Shimano SMRT800 160MM/140MM
Shifters:	Shimano Ultegra ST-R8020
Crankset:	Shimano Ultegra FC-R8000 52/36

Bottom bracket:	EVO 386 with HTII adapter
Derraileur front:	Shimano Ultegra FD-R8000
Derraileur rear:	Shimano Ultegra RD-R8000
Cassette:	Shimano KCS7000 11-30T 11 SPEED
Chain:	Shimano HG701
Hubs	RONDO X HUNT STRAIGHT PULL
Rims:	RONDO X HUNT CARBON LIMITLESS
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	CONTINENTAL GRAND PRIX 700C X 25
Tyre clearance:	700c x 30/650b x 47 (622-30, 584-47)

HVRT CF1	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S51	372	520	568	780	532	111	500	408	67	71,6	72,8	380	40	170	400	90
	M54	378	553	581	805	551	144	530	408	67	72,1	72,6	380	40	172,5	420	90
	L56	388	570	589	825	566	160	550	408	67	72,8	72,6	380	40	172,5	420	110
	XL59	400	605	608	840	589	195	570	410	67	73,1	72,6	380	40	175	440	110
HI	S51	378	515	571	775	531	111	500	408	72	72,3	73,5	370	45	170	400	90
	M54	385	548	584	800	550	144	530	408	72	72,8	73,3	370	45	172,5	420	90
	L56	394	566	592	820	564	160	550	408	72	73,5	73,3	370	45	172,5	420	110
	XL59	407	600	614	830	587	195	570	410	72	73,8	73,3	370	45	175	440	110

S	165cm	173cm
M	172cm	180cm
L	179cm	187cm
XL	186cm	194cm

RONDO

GEOMETRY **HVRT CF2**



Frame:	RUUT Aero DESIGN EPS CARBON
Fork:	TWINTIP CARBON
Frame sizes:	S, M, L, XL
Handlebar:	Rondo Road 400MM(S), 420MM(M,L), 440MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 90MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT CR-MO
Seatpost:	RONDO AERO carbon
Brakes	Shimano 105 BR-R7070
Rotors	Shimano SMRT70 160MM/140MM
Shifters:	Shimano 105 ST-R7020
Crankset:	Shimano 105 FC-R7000 52/36

Bottom bracket:	EVO 386 with HTII adapter
Derraileur front:	Shimano 105 FD-R7000
Derraileur rear:	Shimano 105 RD-R7000
Cassette:	Shimano KCS7000 11-30T 11 SPEED
Chain:	Shimano HG701
Hubs	RONDO X HUNT STRAIGHT PULL
Rims:	RONDO X HUNT AERO WIDE ALUMINIUM
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	CONTINENTAL GRAND SPORT RACE 700C X 25
Tyre clearance:	700c x 30/650b x 47 (622-30, 584-47)
Weight:	8.5KG

HVRT CF2	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S51	372	520	568	780	532	111	500	408	67	71,6	72,8	380	40	170	400	90
	M54	378	553	581	805	551	144	530	408	67	72,1	72,6	380	40	172,5	420	90
	L56	388	570	589	825	566	160	550	408	67	72,8	72,6	380	40	172,5	420	110
	XL59	400	605	608	840	589	195	570	410	67	73,1	72,6	380	40	175	440	110
HI	S51	378	515	571	775	531	111	500	408	72	72,3	73,5	370	45	170	400	90
	M54	385	548	584	800	550	144	530	408	72	72,8	73,3	370	45	172,5	420	90
	L56	394	566	592	820	564	160	550	408	72	73,5	73,3	370	45	172,5	420	110
	XL59	407	600	614	830	587	195	570	410	72	73,8	73,3	370	45	175	440	110

S	165cm	173cm
M	172cm	180cm
L	179cm	187cm
XL	186cm	194cm

RONDO

RONDO

NEW COLOR

VARIO GEO GRAVEL

STONE GREY / FAWN

FEATURES

ROAD PLUS READY

WTB

MUTT AL

Frame:	RONDO MUTT ALU 6061
Fork:	RONDO TWINTIP CARBON
Handlebar:	RONDO ROAD
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 27.2 X 350
Brakes	SHIMANO TIAGRA R4770
Shifters:	SHIMANO TIAGRA R4720
Crankset:	FSA OMEGA 48-32
Derraileur	SHIMANO TIAGRA RD-R4700/FD-R7000
Cassette:	SHIMANO TIAGRA 11-32
Wheels:	RONDO ALU RIMS/SEALED BEARING
Tire front:	WTB BYWAY 650B X 47
Tire rear:	WTB HORIZON 650B X 47

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
CUSTOM HIGH END CARBON FRAME
EPS TECHNOLOGY, INTERNAL CABLE ROUTING
UNIQUE CARBON TWINTIP FORK
ROADPLUS READY (700C X 30 AND 650B X 47C)

2.099 €

NEW COLOR

VARIO GEO GRAVEL

GENTIAN / TAN

FEATURES

ROAD PLUS READY

*the photo does not show the exact final bike, some changes may apply.

WTB

MUTT ST

Frame:	RONDO MUTT TANGE PRESTIGE
Fork:	RONDO TWINTIP CARBON
Handlebar:	RONDO ROAD
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 27.2 X 350
Brakes	SHIMANO 105 R7070
Shifters:	SHIMANO 105 R7020
Crankset:	FSA OMEGA 48-32
Derraileur	SHIMANO 105 R7000
Cassette:	SHIMANO 105 11-32
Wheels:	RONDO ALU RIMS/SEALED BEARING
Tire front:	WTB BYWAY 650B X 47
Tire rear:	WTB HORIZON 650B X 47

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
CUSTOM HIGH END CARBON FRAME
EPS TECHNOLOGY, INTERNAL CABLE ROUTING
UNIQUE CARBON TWINTIP FORK
ROADPLUS READY (700C X 30 AND 650B X 47C)

2.699 €

GEOMETRY **MUTT AL**



Frame:	RUUT CUSTOM FORMED AL6061-T6
Fork:	TWINTIP CARBON
Frame sizes:	XS, S, M, L, XL
Handlebar:	Rondo Road 400MM(S), 420MM(M,L), 440MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 80MM(S), 90MM(M), 110MM(L), 110MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 350 X 27.2
Brakes	SHIMANO BR4770 HYDRAULIC BRAKES
Rotors	SHIMANO SMRT56 160MM/160MM
Shifters:	Shimano Tiagra ST4720
Crankset:	FSA OMEGA COMPACT 48/32T

Bottom bracket:	PF86/FSA
Derraileur front:	Shimano 105 FD-R7000
Derraileur rear:	Shimano Tiagra RD-R4700
Cassette:	Shimano KSCHG500 11-32T 10 SPEED
Chain:	Shimano HG500
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO Alu 584-23
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.5
Tyres:	WTB 650B X 47 BYWAY FRONT/HORIZON REAR
Tyre clearance:	700c x 30/650b x 47 (622-30, 584-47)
Weight:	10.6KG

MUTT AL	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S	368	534	565	760	530	125	490	415	67	72	73	380	40	170	400	90
	M	375	558	580	787	545	150	520	415	67	72	73	380	40	172,5	420	90
	L	380	588	590	811	560	180	540	415	67	72,5	73	380	40	172,5	420	110
	XL	391	608	607	833	577	195	570	415	67	72,5	73	380	40	175	440	110
HI	S	373	530	567	760	528	125	490	415	72	72,7	73,7	370	45	170	400	90
	M	381	553	583	780	543	150	520	415	72	72,7	73,7	370	45	172,5	420	90
	L	387	584	593	805	558	180	540	415	72	73,2	73,7	370	45	172,5	420	110
	XL	398	603	610	830	575	195	570	415	72	73,2	73,7	370	45	175	440	110

S	165cm	173cm
M	172cm	180cm
L	179cm	187cm
XL	186cm	194cm

RONDO

GEOMETRY **MUTT ST**



Frame:	RUUT TANGE Prestige
Fork:	TWINTIP CARBON
Frame sizes:	XS, S, M, L, XL
Handlebar:	Rondo Road 400MM(S), 420MM(M,L), 440MM(XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 90MM(XS,S), 100MM(M), 110MM(L), 120MM(XL)
Headset:	UPPER STACK: IS 42 / 28,6 LOWER STACK: IS 52 / 40 SHIS
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 350 X 27.2
Brakes	Shimano 105 BR-R7070
Rotors	SHIMANO SMRT56 160MM/160MM
Shifters:	Shimano 105 ST-R7020
Crankset:	FSA OMEGA COMPACT 48/32T

Bottom bracket:	BSA 68MM/FSA
Derraileur front:	Shimano 105 FD-R7000
Derraileur rear:	Shimano 105 RD-R7000
Cassette:	Shimano KCS7000 11-32T 11 SPEED
Chain:	Shimano HG701
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO SUPERLIGHT Alu 622-20
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	WTB 650B X 47 BYWAY FRONT/HORIZON REAR
Tyre clearance:	700c x 30/650b x 47 (622-30, 584-47)
Weight:	10.6KG

MUTT ST	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S	367	530	565	760	530	120	490	420	67	72	73	380	40	170	400	90
	M	375	558	580	787	545	150	520	420	67	72	73	380	40	172,5	420	90
	L	380	588	590	811	560	180	540	420	67	72,5	73	380	40	172,5	420	110
	XL	391	608	607	833	577	195	570	420	67	72,5	73	380	40	175	440	110
HI	S	375	525	567	760	528	120	490	420	72	72,7	73,7	370	45	170	400	90
	M	381	553	583	780	543	150	520	420	72	72,7	73,7	370	45	172,5	420	90
	L	387	584	593	805	558	180	540	420	72	73,2	73,7	370	45	172,5	420	110
	XL	398	603	610	830	575	195	570	420	72	73,2	73,7	370	45	175	440	110

S	165cm	173cm
M	172cm	180cm
L	179cm	187cm
XL	186cm	194cm

RONDO

RONDO

SPEC UPDATE

BIKEPACKING

SILVER / GRAY

FEATURES

TWIN TIP VARIO GEO

HALO CLEARANCE

*the photo does not show the exact final bike, some changes may apply.

WTB

BOGAN ST

Frame:	RONDO BOGAN TANGE CHAMPION
Fork:	RONDO TWINTIP 2.0 CARBON
Handlebar:	RONDO DIRT DROP
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 27.2 X 350
Brakes	TRP SPYRE
Shifters:	SRAM APEX 1
Crankset:	RONDO DIRECT 38T
Derraileur	SRAM APEX 1
Cassette:	SUNRACE 11-42
Wheels:	RONDO ALU RIMS/SEALED BEARING
Tires:	WTB NANO 29 X 2.1

HIGHLIGHTS

UNIQUE LIFT HANDLE FOR EASIER CARRYING OF LOADED BIKE
2X DRIVETRAIN COMPATIBILITY
COMPLETE SET OF FENDER, RACK, BAG AND BOTTLE MOUNTS
MASSIVE TYRE CLEARANCE - ACCEPTS UP TO 29X2.1 TYPES
RADICAL GEOMETRY DESIGNED FOR STABILITY AND LONG RIDE COMFORT

2.099 €

CONTINUED

SUBURBAN

BLACK / GREEN

FEATURES

TWIN TIP VARIO GEO

ROAD PLUS READY

*the photo does not show the exact final bike, some changes may apply.

WTB

BOOZ ST

Frame:	RONDO BOOZ CRO-MO
Fork:	RONDO TWINTIP CARBON
Handlebar:	RONDO FLAT BAR
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 27.2 X 350
Brakes:	SHIMANO BL-RS600
Shifters:	SRAM Apex
Crankset:	FSA OMEGA 42T
Derraileur:	SRAM Apex
Cassette:	FSA OMEGA 42T
Wheels:	RONDO ALU RIMS/SEALED BEARING
Tires:	650 X 47 WTB VENTURE

HIGHLIGHTS

ADJUSTABLE HEAD ANGLE AND FORK OFFSET
ADJUSTABLE BB HEIGHT
UNIQUE CARBON TWINTIP FORK
ROADPLUS READY (700 X 30C AND 650B X 47C)
BELT DRIVE COMPATIBLE

1.799 €

GEOMETRY **BOGAN**



Frame:	Custom formed Tange Champion
Fork:	TWINTIP 2.0 CARBON
Frame sizes:	S, M, L, XL
Handlebar:	RONDO BOOMERANG 440MM(S,M), 460MM(L,XL)
Grips:	VELO COMFORT TAPE
Stem:	RONDO 60MM(S,M), 80MM(L,XL)
Headset:	UPPER STACK: ZS 44 / 28,6 LOWER STACK: EC 44/ 40 SHIS
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 350 X 27.2
Brakes	TRP SPYRE
Rotors	TRP 160MM/160MM
Shifters:	SRAM APEX 1
Crankset:	RONDO DIRECT 38T 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	BSA 68mm/SHIMANO BB-RS500
Deraileur front:	-
Deraileur rear:	SRAM APEX 1
Cassette:	SUNRACE CSMS7 11-42 11 SPEED
Chain:	SRAM PC1130
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO ALUMINIUM 622-23
Axle front:	100/12mm/thread 1.5
Axle rear:	142/12mm/thread 1.75
Tyres:	WTB NANO 29 X 2.1
Tyre clearance:	29x2.1 (622-54)
Weight:	10.7KG

BOGAN	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S	401	582	636	782	575	140	470	435	80	70	73	400	45	170	440	60
	M	406	601	647	802	585	160	490	435	80	70	73	400	45	172,5	440	60
	L	414	619	663	820	600	180	510	435	80	70	73	400	45	172,5	460	80
	XL	424	638	680	835	620	200	530	435	80	70	73	400	45	175	460	80
HI	S	409	577	644	775	573	140	470	435	86	70,8	73,8	390	55	170	440	60
	M	413	595	655	795	583	160	490	435	86	70,8	73,8	390	55	172,5	440	60
	L	423	611	671	810	598	180	510	435	86	70,8	73,8	390	55	172,5	460	80
	XL	432	633	680	835	618	200	530	435	86	70,8	73,8	390	55	175	460	80

S	165cm	173cm
M	172cm	180cm
L	179cm	187cm
XL	186cm	194cm

RONDO

GEOMETRY **BOOZ**



Frame:	RUUT DOUBLE BUTTED CRO-MO
Fork:	TWINTIP CARBON
Frame sizes:	S, M, L, XL
Handlebar:	RONDO HORIZON 660MM
Grips:	RONDO GRIPS
Stem:	RONDO 80MM(S,M), 90MM(L,XL)
Headset:	UPPER STACK: ZS 44 / 28,6 LOWER STACK: EC 44/ 40 SHIS
Saddle:	FABRIC SCOOP FLAT
Seatpost:	RONDO 350 X 27.2
Brakes	SHIMANO BL-RS600/BR-RS405
Rotors	SHIMANO SMRT56
Shifters:	SRAM APEX1
Crankset:	FSA OMEGA 42T 170MM(S), 172.5MM(M,L), 175MM (XL)

Bottom bracket:	BSA 68mm/FSA
Deraileur front:	-
Deraileur rear:	SRAM APEX 1
Cassette:	SUNRACE CSMS7 11-42 11 SPEED
Chain:	SRAM PC1130
Hubs	RONDO SUPERLIGHT SEALED BEARINGS
Rims:	RONDO ALUMINIUM 584-23
Axle front:	100/15mm/thread 1.5
Axle rear:	--
Tyres:	WTB VENTURE 650B X 47
Tyre clearance:	650bx47 (584-47)
Weight:	10.5KG

BOOZ	Size	Reach	Stack	Front center	Standover height	Effective Top Tube	Head Tube	Seat Tube	Chainstay	BB drop	Head Tube angle	Seat tube angle	Fork Axle to Crown	Fork Offset	Crank Length	Bar width	Stem Length
		mm	mm	mm	mm	mm	mm	mm	mm	mm	degrees	degrees	mm	mm	mm	mm	mm
LO	S	395	555	609	770	560	130	495	420	70	71,5	73	400	45	170	660	80
	M	406	585	630	800	580	160	530	420	70	71,5	73	400	45	170	680	90
	L	420	603	650	820	600	180	560	420	70	71,5	73	400	45	175	680	90
	XL	434	622	670	845	620	200	590	420	70	71,5	73	400	45	175	700	100
HI	S	403	550	616	760	558	130	495	420	76	72,3	73,8	390	55	170	660	80
	M	414	580	637	790	578	160	530	420	76	72,3	73,8	390	55	170	680	90
	L	428	597	657	815	598	180	560	420	75	72,3	73,8	390	55	175	680	90
	XL	442	616	677	840	617	200	590	420	75	72,3	73,8	390	55	175	700	100

S	165cm	173cm
M	172cm	180cm
L	179cm	187cm
XL	186cm	194cm

RONDO

ACEPAC
BORSE ED ACCESSORI PER BIKEPACKING
ACEPAC

ACEPAC

Harnesses

BAR HARNESS & DRYBAG

Harness Black
art no. 122009
37.00 €

Harness Grey
art no. 122023
37.00 €

Bar harness and two sizes of drybag makes perfect combination for all your adventures.

Drybag 16L
art no. 124324
36.90 €

Drybag 8L
art no. 123129
33.50 €

Parameters:

Harness:
33 x 33cm | 390g

Drybag 16L:
ø15 x 45cm | 195g

Drybag 8L:
ø18,5 x 60cm | 255g

Features:
- Hypalon non-slipping straps
- aluminium reinforcement bar
- sliplock buckles
- waterproof roller closure
- adjustable volume 8-16L
- reinforced exposed areas
- easy to wash Tarpaulin bottom
- EVA distance spacers
- reflective print

Materials:
Nylon 6.6 Ripstop, TPU coating, Tarpaulin, Hypalon, Aluminium, NIFCO buckles, polypropylene, HDPE

Aluminium reinforcement bar

Hypalon and velcro straps for attachment to the handlebar, secured with nylon straps with buckles. Foam spacers for sufficient dinstance of harness from bars.



Hypalon loops for secure Bar bag connection

Three straps for secure attachment of drybags

Head tube strap with camlok buckle to avoid harness swing during a ride

Velcro on backside of drybags for secure fixation of drybag into harness.

Nifco buckles for easy handling in cycling gloves, can be used in freezing conditions down to -20°C.

Roll closure ensures enough waterproofness of the bag



Front daisy chain for additional gear fixing

Hook in top of drybag for quick and simple „kneefree“ connection to harness.

SADDLE HARNESS & DRYBAG

Harness Black
art no. 125000
45.50 €

Harness Grey
art no. 125024
45.50 €

Saddle harness and two sizes of drybag makes perfect combination for all your adventures.

Drybag 16L
art no. 127325
45.00 €

Drybag 8L
art no. 126120
39.00 €

Parameters:

Harness:
20 x 39cm | 690g

Drybag 16L:
ø20 x 55cm | 270g

Drybag 8L:
ø17 x 45cm | 210g

Features:
- Hypalon non-slipping straps
- aluminium reinforcement
- sliplock buckles
- waterproof roller closure
- adjustable volume 8-16L
- reinforced exposed areas
- easy to wash Tarpaulin bottom
- reflective print

Materials:
Nylon 6.6 Ripstop, TPU coating, Tarpaulin, Hypalon, Aluminium, NIFCO buckles, polypropylene, HDPE

Drybag with daisy chains for additional gear fixing.

Central compression strap for secure drybag closure fixing.

Hypalon straps for attachment to the seatpost and saddle rails. Non slippery, strong material with velcro.



Hypalon fabric part which touches seat post and saddle rails for added durability.

Tarpailun bottom reinforcement for easy cleaning and tear resistance.



Nifco buckles for easy handling in cycling gloves, can be used in freezing conditions down to -20°C.

Roll closure ensures enough waterproofness of the bag

Daisy chain at bottom of drybag for its fixation to backpack in case of transport.

ACEPAC

Handlebars

BAR ROLL

Grey
art no. 101325
67.00 €

Large handlebar bag for transport of easily compressible equipment, thanks to its dimensions also suitable for transport of sleeping equipment - tent, sleeping bag, mat, etc.

Black
art no. 101301
67.00 €

Parameters:
ø18,5 x [30-60]cm
[8-16]L
485g

Features:
- EVA distance spacers
- aluminium reinforcement bar
- removable waterproof liner
- sliplock buckles
- double-sided roller closure
- adjustable volume 8-16L
- reinforced exposed areas
- easy to wash Tarpaulin bottom
- reflective print

Materials:
Nylon 6.6 Ripstop, PU coating, Tarpaulin, Hypalon, Aluminium, NIFCO buckles, polypropylene

Central strap with Camlok buckle for fixation of the bag to the head tube of bike frame. Exposed areas where the bag touches the head tube nad brake levers are reinforced with a second layer of durable Nylon 6.6 fabric.

EVA foam distance spacers and aluminium reinforcement keep the bag away from the handlebars to protect the brake levers and their supply hoses.
Secure attachment to the handlebars with non-slip Hypalon straps with wide Velcro fastening is secured by straps with buckles with anti slip lock function to avoid bag movement during a ride.



Double-sided roller closure with Nifco buckles (-20°C), for easy glove control, can be rolled like a classic drybag by closing the buckles at the bag entrance.

The bottom part of the bag covered by easy-to-clean Tarpaulin fabric. Horizontal strap chain at the bottom of the bag to attach it to the backpack for easy transportation of the bag in rugged terrain.

The bag has a removable waterproof liner (coated Nylon ripstop fabric, PU 5000mm with taped seams), which guarantees to keep the carried stuff dry.

BAR BAG

Black
art no. 121002
57.90 €

Small handlebar bag for transport of various quickly avilable equipment, for example camera, phone, everyday needs.

Grey
art no. 121026
57.90 €

Parameters:
25 x 12 x 16cm
5L
270g

Features:
- Hypalon non slipping straps
- removable waterproof liner
- sliplock buckles
- waterproof roller closure
- water resistant YKK two way zipper
- reflective print

Materials:
Nylon 6.6 Ripstop, PU coating, Hypalon, NIFCO buckles, polypropylene, YKK zippers

Pair of velcro and Hypalon straps enable to connect Bar bag to handlebars directly without Bar roll.

Drybag is fixed into bag by velcro for easier rolling.

Side mesh pockets suitable for quickly accessible equipment or trash

Head tube strap with camlok buckle to avoid harness swing during a ride.



YKK water resistant zipper with two sliders for easier stuff reach.

Nifco buckles for easy handling in cycling gloves and. Those buckles can be used in freezing conditions up to -20°C.

The bag can be attached directly to handlebars or to the Bar roll, using special buckles which are included in the Bar bag

Pair of daisy chains in front of bag for additional gear or flashlight fixing.

Roll closure ensures waterproofness of the bag

The bag has a removable waterproof liner (coated Nylon ripstop fabric, PU 5000mm with taped seams), which guarantees to keep the carried stuff dry.

ACEPAC

BIKE BOTTLE BAG

Black
art no. 131001
19.00 €

Grey
art no. 131025
19.00 €

Small handlebar bag made to fit the standard bike bottle. Of course you can use it for different purposes such as snacks or other stuff you keep.

Parameters:
Ø9 x [13-17]cm
65g

Features:
- easy to fix by velcro straps
- side mesh pocket
- elastic string with stopper closure
- Reflective logo
- High visibility lining for easier transported gear organisation

Materials:
Nylon 6.6 Ripstop, PU coating, Polypropylene webbing, high visibility lining

Side „trash mesh pocket“

Strap with camlok buckle to fix the bottom to the fork crown.



String with stoper closure.

Elastic band holds the bottle in place and closes the bag.

The velcro straps can be moved around the bag thanks to the strap ladder.

The hole in the bottom of the bag to spill the water in case you will catch some in rainy weather

FAT BOTTLE BAG

Black
art no. 132008
19.50 €

Grey
art no. 132022
19.50 €

Small handlebar bag made to fit the fat 1L tritan bottle. Even more space for your snacks or other stuff you keep.

Parameters:
Ø10 x [14.5-19]cm
75g

Features:
- Easy to fix by velcro straps
- trash mesh pocket
- elastic string with stopper closure
- Reflective logo
- High visibility lining for easier transported gear organisation

Materials:
Nylon 6.6 Ripstop, PU coating, Polypropylene, high visibility lining

Side „trash mesh pocket“

Strap with camlok buckle to fix the bottom to the fork crown.

String with stoper closure.

Elastic band holds the bottle in place and closes the bag.

Velcro straps for attachment to the handles. Can be moved around to fit your needs.

The hole in the bottom of the bag to spill the water in case you will catch some in rainy weather

ACEPAC

Saddle

SADDLE BAG

Grey
art no. 103329
79.00 €

Large saddle bag for transport of easily compressible equipment, such as clothing.

Black
art no. 103305
79.00 €

Parameters:
ø21 x [36-58]cm
16L
690g

Features:
- Hypalon non-slipping straps
- removable waterproof liner
- sliplock buckles
- waterproof roller closure
- adjustable volume 8-16L
- reinforced exposed areas
- easy to wash Tarpaulin bottom
- reflective print

Materials:
Nylon 6.6 Ripstop, PU coating, Tarpaulin, Hypalon, HDPE, NIFCO buckles, polypropylene

Central compression strap for even more secure roll closure. Top daisy chains for additional gear fixing possibility

Nifco buckles for easy handling in cycling gloves, can be used in freezing conditions down to -20°C.

Hypalon straps for attachment to the seatpost and saddle struts. Non slippery, strong material with velcro.

Hypalon fabric part which touches seat post and saddle rails for added durability.

Sliplock buckles for safe saddle connection.



HDPE board reinforcement in saddle area to keep its shape.

Roll closure ensures enough waterproofness of the bag.

The bag has a removable waterproof liner (coated Nylon ripstop fabric, PU 5000mm with taped seams), which guarantees to keep the carried stuff dry.

HDPE board reinforced bottom for better bag stability.

Tarpailun bottom reinforcement for easy cleaning and tear resistance.

Daisy chain at bottom of bag for its fixation to backpack in case of transport.

Frame

ZIP FRAME BAG

Black L
art no. 129305
47.50 €

Grey M
art no. 128223
46.00 €

Grey L
art no. 129329
47.50 €

Universal frame bag in two sizes, M and L. The bag is equpped with water resistant YKK zipper with two sliders. The circumference of the bag is padded to protect the frame. Inside frame position is ideal for heavy gear transport.

Black M
art no. 128209
46.00 €

Parameters:
[40/48] x 6 x [14/17]cm
[3.5/4]L
265g

Features:
- long velcro straps meant to be cut exactly to your frame
- Padded circimference walls for better frame fit and sound free rides.
- water resistant YKK zipper
- reflective logo
- inner mesh pockets

Materials:
Nylon 6.6 Ripstop, PU coating, NIFCO buckles, YKK zippers, high visible lining

High visible lining inside bag.

Inner mesh pockets for better gear organisation inside bag.

YKK zipper with two sliders for easier bag opening.

Reflective print on sides

Camelbag hose outlet



Seven long velcro straps to fit as many frames as possible. Cut off the remainig part.

Frame touching sides are padded and equipped with hems to fit proprely and to protect the frame from scratching by transported cargo

Strap with camlok buckle to attach to the head tube.

ACEPAC

FUEL BAG M

Black
art no. 130202
28.50 €

Grey
art no. 130226
28.50 €

Fuel bag to store all the necessary widgets and snacks you need to have the fast access.

Parameters:
19 x 6 x 10cm
0.8L
110g

Features:
- long velcro straps meant to be cut exactly to your frame
- padded circumference
- 2 water resistant YKK zippers
- reflective logo
- two outer side mesh pockets
- Two inner mesh pockets

Materials:
Nylon 6.6 Ripstop, PU coating, NIFCO buckles, YKK zippers, Polypropylene, high visible lining

Double water resistant YKK zipper for comfortable access and protection of your stuff

Non slip hypalon loops on the sides of zipper for easy handling



Long velcro straps to fit as many frames as possible can be positioned. Cut off the remainig part.

Two inner side mesh pockets for better gear organisation inside bag.

High visibility lining for easy orientation inside bag.

Two side mesh pockets

FUEL BAG L

Grey
art no. 107327
32.00 €

Fuel bag to store all the necessary widgets and snacks you need to have the fast access. Two inner padded partitons can be adjusted by or removed.

Black
art no. 107303
32.00 €

Parameters:
26 x 6 x 10cm
1.2L
135g

Features:
- long velcro straps meant to be cut exactly to your frame
- padded circumference
- 2 water resistant YKK zippers
- reflective logo
- two outer side mesh pockets
- two padded adjustable partitions

Materials:
Nylon 6.6 Ripstop, PU coating, NIFCO buckles, YKK zippers, Polypropylene, high visibility lining

Non slip hypalon loops on the sides of zipper for easy handling

Double water resistant YKK zipper for comfortable access and protection of your stuff

Long velcro straps to fit as many frames as possible can be positioned. Cut off the remainig part.

Two side mesh pockets



Two inner partitions with velcro hems can be adjusted or put out by your needs

Brushed inner sides to protect your stuff from scratching

ACEPAC

TUBE BAG

Grey
art no. 133029
22.90 €

A little bag meant to store rolled up spare tube and the essential tools. Water resistant YKK zipper seems to be overkill for just the tube, but we want it to be usable for more stuff.

Black
art no. 133005
22.90 €

Parameters:
12 x 6 x 10cm
0.7L
60g

Features:
- long velcro straps meant to be cut exactly to your frame
- padded circumference
- water resistant YKK zipper
- reflective logo
- two inner mesh pockets

Materials:
Nylon 6.6 Ripstop, PU coating, YKK zippers, Polypropylene, high visibility lining

Multiple connection possibilities by webbing ladder.

Two inner mesh pockets

Water resistant YKK zipper



Long velcro straps to fit as many frames as possible can be positioned. Cut off the remainig part.



High visibility lining

Hypalon loops for easier opening.

Reflective print on sides

MINIMA BAG

Grey
art no. 134026
21.50 €

Black
art no. 134002
21.50 €

This bag is meant to be attached to the fork or frame. Made for the Minima Pot or Minima Set cooking sets. Roll closure.

Parameters:
ø12 x 14cm
1.5L
85g

Features:
- Hypalon non slip straps
- sliplock Nifco buckles
- roller closure
- padded walls
- reflective print
- roll closure

Materials:
Nylon 6.6 Ripstop, PU coating, Hypalon, NIFCO buckles, Polypropylene, high visibility lining

Pair of compression straps for rock solid bag fixation to frame or fork

Water resistant roller closing system allows you to adjust the volume of the bag

Attachment straps are made of three layers, of Hypalon, Velcro and strap with buckle to securely fix the bag

Hi visibility lining inside bag for easier orientation Padded walls protect your frame and equipment

The hole in the bottom of the bag to spill the water in case you will catch some in rainy weather

TOOL WALLET

Grey
art no. 135023
16.90 €

Foldable pouch to store all the necessary tools. Thanks to the Hypalon straps can be attached to the frame or saddle rails.

Parameters:
22.5 x 15cm
0.16g

Features:
- Hypalon non-slipping strap
- reinforced exposed areas
- practical binder for all your tools
- loop for the taillight
- reflective print

Materials:
Nylon 6.6 Ripstop, PU coating, Hypalon, Nifco, high visibility lining

Three small pockets with velcro closure, two pairs of elastic loops

Three pockets secured by folding

Loop for the taillight

Hypalon strap with velcro to attach to the bike frame



TUBE WRAP

Grey
art no. 136020
12.00 €

Hypalon strap system to pack the spare tube together with mounting levers and attach it to the frame. Plus loop for the taillight.

Parameters:
22.5 x 15cm
0.16g

Features:
- Hypalon non-slipping straps
- loops for the mounting levers
- loop for the taillight

Materials:
Hypalon, Nifco

Hypalon makes the Wrap strong and non slipping

Loop for the taillight

Wide Hypalon strap protects tube from demage.



Two loops to fit the mounting levers

Huge velcro connections ensures the security of the wrap in very harsh conditions

GRANITE
GRANITE
MULTI-TOOL & ACCESSORI

GRANITE

STASH CHAIN TOOL 25.90 €

SMAGLIACATENA IN ALLUMINIO 7075 LAVORATO CNC INSERIBILE NEL MANUBRIO

.Inseribile all'interno del manubrio
.Compatibile per catene 9 > 12 velocità
.Compatibile con manopole aperte sul fondo e manubrio con foro da 18 a 21mm e 10cm di sezione dritta alle estremità
.Alloggiamento per falsa maglia di ricambio

Dimensioni: 30x30x96mm (tappo largo) / 21.8×21.8x96mm (tappo stretto)
Peso: 50gr (incluso il tappo laterale)
Colore: Orange
Contenuto della confezione: Corpo Chain tool, guarnizione espandibile di gomma per bloccaggio tappi manubrio, tappi manubrio da 30 e 22mm
*Falsa maglia non inclusa

STASH RCX MULTI-TOOL 59.90 €

MULTI TOOL DA INSERIRE NEL CANNOTTO FORCELLA

Multi tool 8 funzioni: Brugola da 2, 2.5, 3, 4, 5, 6 - Torx T25 - Cacciavite piatto - Tiraraggi: 0, 1, 2, 3 e funzione rimuovi valvola
Dimensioni: 30x30x96mm (tappo largo) / 21.8×21.8x96mm (tappo stretto)
Peso: multi tool: 57g - Peso del sistema completo: 110g
Colore: Orange o Nero anodizzato
Contenuto della confezione: Corpo Chain tool, guarnizione espandibile di gomma per bloccaggio tappi manubrio, tappi manubrio da 30 e 22mm
*Il diametro interno del cannotto forcella deve essere di forma circolare e misurare tra 23,5 mm e 27 mm.
Ideale per Bici da Corsa e Gravel

STASH MULTI-TOOL 59.90 €

MULTI TOOL DA INSERIRE NEL CANNOTTO FORCELLA

Multi tool 8 funzioni: Brugola da 2, 2.5, 3, 4, 5, 6 - Torx T25 - Cacciavite piatto - Tiraraggi: 0, 1, 2, 3 e funzione rimuovi valvola
Dimensioni: 30x30x96mm (tappo largo) / 21.8×21.8x96mm (tappo stretto)
Peso: multi tool: 57g - Peso del sistema completo: 135g
Colore: Orange o Nero anodizzato
Contenuto della confezione: Corpo Chain tool, guarnizione espandibile di gomma per bloccaggio tappi manubrio, tappi manubrio da 30 e 22mm
*Compatibile con forcelle tapered (42mm) e 1/8 (30mm) - Monta su bici con distanza da sotto la piastra della forcella alla sommità dello stem da 150 a 240mm

STASH TIRE PLUG 22.90 €

KIT DI RIPARAZIONE TUBELESS

.Kit di riparazione Tubeless in alluminio 7075 lavorato CNC inseribile nel manubrio
.Forchetta per inserimento "vermicelli"
.Alesatore
.Inseribile all''interno del manubrio
.Compatibile con manopole aperte sul fondo e manubrio con foro da 18 a 21mm e 10cm di sezione dritta alle estremità

Dimensioni: 30x30x96mm (tappo largo) / 21.8×21.8x96mm (tappo stretto)
Peso: 35g(incluso il tappo laterale)
Colore: Orange
Contenuto della confezione: Corpo Tire Plug, 2x vermicelli 1.5mm, 2x vermicelli 3.5mm, guarnizione espandibile di gomma per bloccaggio tappi manubrio, tappi manubrio da 30 e 22mm

GRANITE

ROCKBAND 9.90 €

CINGHIA ULTRALEGGERA PER TELAI

Chiusura con velcro
Striscia in gomma a contatto con il telaio per eviatre rumore e sfregamento
Compatibile con:
Kit ROCKNROLL
Punk
Talon

Colore: Black, Red, Blue, Green, Orange, Turquoise Blue, Green Camo
Peso: 23gr
Lunghezza: 45 cm
Larghezza: 3,2 cm

ROCKNROLL 35.90 €

SACCA IN CORDURA CON CHIAVE A CRICCHETTO

Chiave a cricchetto: Resistente fino a 60Nm - Prolunga - - Inserto Torx T25 e cacciavite a stella 7 inserti brugola (2mm / 2.5mm / 3mm / 4mm / 5mm / 6mm / 8mm) **Dimensioni**: 130x50x30mm
Peso: 136g
Colore: Nero o Green Camo
* Tasca interna aggiuntiva per smagliacatena (non incluso)
Anello di aggancio compatibile con cinghia ROCKBAND

ROCKBAND PLUS 12.90 €

CINGHIA ULTRALEGGERA PER TELAI

Square Tile
Wawe
Pine Tree
Mountain View

ROCKBAND PLUS è la versione più lunga della RockBand. Adatta a camere d"aria più grandi (27,5/29 plus, Fat), antivento, attrezzi, ecc...
Chiusura con velcro
Striscia in gomma a contatto con il telaio per eviatre rumore e sfregamento
Compatibile con:
Kit ROCKNROLL
Punk
Talon

Colore: SQUARE TILE, WAVE, PINE TREE, MOUNTAIN VIEW
Peso: 25gr
Lunghezza: 49 cm
Larghezza: 3,2 cm

PITA - PEDAL COVER 19.90 €

COPPIA COVER DI PROTEZIONE PER PEDALI

Le cover PITA proteggono la tua e le altre bici durante il trasporto o nel rimessaggio.
Facili da installare e disponibili in due taglie e due colorazioni.

Dimensioni: LARGE: adatto a pedali fino a 115x115 mm
SMALL: adatto a pedali fino a 100x55mm
Colore: Nero o Green Camo

GRANITE

TALON 12.90 €

LEVAGOMME E CHIAVE PER SMONTARE LA FALSAMAGLIA. DUE IN UNO!

TALON è un pratico tool che ha due funzioni in una. Unendo le due sezioni diventa una pratica chiave per smontare la falsa maglia della tua catena, dividendole invece avrai ha disposizione un kit di levagomme

Dimensioni: 127x24x16mm
Peso: 61.4g (2pz)
Colore: Nero

JUICY NIPPLE - BLACK VALVE 25.90 €

VALVOLE TUBELESS

Valvole tubeless da 45mm con tappi valvola anodizzati con inserto per smontare il core della valvola.
Peso: 10 gr
Colore valvola: Nero anodizzato
Colore Tappi: Black, Red, Blue, Green, Orange, Pink, Gold

PUNK - CNC CO2 19.90 €

EROGATORE CO2

Erogatore Co2 leggero e versatile. Compatibile con ROCKBAND
Small per bombolette da 16gr - **Large** per bombolette da 25gr
Peso: Small - 24g / Large - 25g
Colore: Nero
*Bombolette Co2 non incluse

VALVE CAP 9.90 €

TAPPI VALVOLE

Tappi valvola anodizzati con inserto per smontare il core della valvola
Peso: 2,5g
Colore: Black, Red, Blue, Green, Orange, Pink, Gold

TIRE PLUG REFIL 3.90 €

VERMICELLI PER RIPARARE TUBELESS



Confezione da 10 pz
Dimensione: 1,5mm / 3,5mm

RACER
FRANCE - 1927
PROTEZIONI • GUANTI • ACCESSORI
@maddogboris @lapierrezippcollective

RACER
FRANCE · 1927

MOTION TOP 2 — 199.95 €

Corpetto protettivo in lycra e D30®.
Maniche removibili, compatibile con sacca idrica

enduro DH

TAGLIE: S - M - L - XL

D30®

Ideale per BMX e DOWNHILL, MOUNTAIN TOP 2 è realizzato con pannelli in mesh traspirante al 100% ed è dotato di D30® sui cuscinetti in corrispondenza di dorsali, spalle e gomiti.

MOUNTAIN TOP 2 — 149.95 €

Corpetto protettivo in lycra e SAS-TEC,
compatibile con sacca idrica

enduro DH

TAGLIE: S - M - L - XL

SAS-TEC

Ideale per BMX e sci, MOUNTAIN TOP 2 è realizzato con pannelli in mesh traspirante al 100% ed è dotato di SAS-TEC™ sul dorso, spalle e gomiti.

PRO TOP 3 — 119.95 €

Gilet protettivo in lycra e D30®
compatibile con sacca idrica

enduro trail

TAGLIE: S - M - L - XL

D30®

Il gilet PRO-TOP 3 è un gilet senza maniche molto leggero, realizzato al 100% in mesh. Incorpora la nuova spina dorsale AERO D30® BP3, che offre una protezione ottimale pur mantenendo un livello di comfort eccezionale. E' stato progettato per accogliere lo zaino e integra efficacemente 4 tasche laterali e la possibilità di integrare una sacca idrica Hydrapak® 3l. Trattamento antiodore e antibatterico ATR®.

RACER
FRANCE · 1927

MOTION KNEE — 114.95 €

Ginocchiera D30® con cerniera laterale
TAGLIE: S - M - L - XL

D3O

- Cerniera laterale YKK® Locking per la massima durata
- Tessuto esterno in Airprene

PROFILE KNE — 99.95 €

Ginocchiera ergonomica D30®
TAGLIE: S - M - L - XL

D3O

- Tessuto esterno in Airprene
- Rinforzo in Aramid™ e in D30®

PROFILE ELBOW — 84.95 €

Gomitiera Airprene - D30®
TAGLIE: M - L - XL

D3O

- Tessuto esterno in Airprene

MOUNTAIN ELBOW — 59.95 €

Gomitiera Lycra - D30®
TAGLIE: XS - S - M - L - XL

D3O

- Tessuto esterno Lycra
- Strisce di silicone e velcro antiscivolo

MOUNTAIN KNEE 2 — 69.95 €

Ginocchiera Trail - All Mountain in D30®
TAGLIE: XS - S - M - L - XL

D3O

- Tessuto esterno Lycra
- Strisce di silicone e velcro antiscivolo

FLEXAIR KNEE — 79.95 €

Ginocchiera in Sas-Tec
TAGLIE: S - M - L - XL

SAS-TEC

- Tessuto esterno Lycra / Mesh

FLEXAIR COMBO — 109.95 €

Ginocchiera \ paratibie in Sas-Tec
TAGLIE: S - M - L - XL

SAS-TEC

- Tessuto esterno Lycra / Mesh

FLEXAIR ELBOW — 74.95 €

Gomitiera in Sas-Tec
TAGLIE: S - M - L - XL

SAS-TEC

- Tessuto esterno Lycra / Mesh

RACER
FRANCE · 1927

DIGGER — 54.95 €

Guanto MTB D30®
TAGLIE: XS - S - M - L - XL - XXL

DH · enduro

BLACK·ORANGE
BLACK·KHAKI

- Inserti in D30® su dorso e palmo della mano
- Indice tattile per smartphone
- Chiusura con velcro

AIR RACE 2 — 37.95 €

Guanto MTB
TAGLIE: XS - S - M - L - XL - XXL

enduro · trail · XC

BLACK·ORANGE
BLACK·BURGUNDY
BLACK·BLUE

- Tessuto esterno NEOPRENE
- Indice tattile per smartphone
- Chiusura con velcro

ROCK 3 — 44.95 €

Guanto MTB D30®
TAGLIE: XS - S - M - L - XL - XXL

DH · enduro · trail

ORANGE·BLACK
BLACK
YELLOW·BLACK

- Inserti in D30® su dorso della mano
- Tessuto esterno Spandex
- Chiusura con velcro

FACTORY — 39.95 €

Guanto MTB
TAGLIE: S - M - L - XL - XXL

enduro · trail · XC

BLACK·GREY
BLACK

- Tessuto esterno LYCRA
- Palmo in PELLE PREMIUM

GP STYLE — 27.95 €

Guanto MTB
TAGLIE: XS - S - M - L - XL - XXL

enduro · trail · XC · BMX

BLACK·WHITE
MULTI
BLACK

- Tessuto esterno MESH
- Indice tattile per smartphone
- Chiusura con velcro

LIGHT SPEED 3 — 29.95 €

Guanto lite MTB
TAGLIE: XS - S - M - L - XL - XXL

enduro · trail · XC · BMX · road

BLACK·LIME
BLACK·RED
BLACK

- LYCRA

ROCK WR — 59.95 €

Guanto INVERNALE MTB D30®
TAGLIE: S - M - L - XL - XXL

DH · enduro · trail

BLACK

- Idrorepellenti e impermeabile
- Tessuto esterno POLYMAX® resistente all'acqua
- Inserti in D30® su dorso della mano
- Chiusura con velcro

RACER

RACER
FRANCE · 1927

KIDS

TURTLE VEST 2 — 79.95 €

Gilet protettivo in lycra e SAS-TEC
TAGLIE: XXS - XS - S

enduro · trail · BMX

BLACK·TURQUOISE
BLACK·RED

Il RACER® TURTLE VEST 2 è ideale per i giovanissimi rider! E' costituito di una struttura in mesh e neoprene che garantisce un massimo di comodità e di leggerezza. È dotato di dorsale SAS TEC omologata CE.

MOTION KID 2 — 144.95 €

Corpetto protettivo SAS-TEC
TAGLIE: XXS - XS - S

DH · enduro · trail · BMX

BLACK

Il MOTION KID 2 rappresenta il meglio sul mercato in termini di protezione del corpo per i bambini dai 6 anni. È composto da pannelli in mesh altamente traspiranti e integra protezioni SAS-TEC su schiena, spalle e gomiti. Un pannello perforato in schiuma EVA è posizionato sul busto per proteggere dagli urti garantendo una buona ventilazione.

ROCA KID — 39.95 €

Guanto KID MTB D30®
TAGLIE: 6Y - 8Y - 10Y - 12Y

enduro · trail · XC · BMX

BLACK
BLACK·PINK

- Inserti in D30® su dorso e palmo della mano
- Indice tattile per smartphone
- Chiusura con velcro

LIGHT SPEED 3 KID — 27.95 €

Guanto lite KID MTB
TAGLIE: XXS5 - XS6 - S7

enduro · trail · XC · BMX · road

BLACK·LIME
BLACK·RED
BLACK
- LYCRA

ACCESSORI

E-GLOVE 3 — 189.95 €

Guanto INVERNALE RISCALDATO
TAGLIE: XS - S - M - L - XL - XXL - XXXL

enduro · trail · XC · road

BLACK

- Idrorepellenti e impermeabile
- Tessuto esterno POLYMAX® resistente all'acqua
- Chiusura con cerniera
- Batterie al Litio
- 3 Livelli di riscaldamento (fino a 6 ore di autonomia)

E-COVER — 219.95 €

Copriscarpe INVERNALE RISCALDATO
TAGLIE: S(37/39) - M (40/42) - L (43/45) - XL (46/48)

road

BLACK

- Idrorepellenti e impermeabile
- Tessuto esterno NEOPRENE e SOFTSHELL
- Chiusura con cerniera
- Batterie al Litio
- 3 Livelli di riscaldamento (fino a 6 ore di autonomia)

BATTERIES LONGLIFE

Batteria Litio

49.95 €

CARICABATTERIE KT12W

Caricabatterie (cavo sdoppiato per due batterie)

19.95 €

www.racergloves.com

ANTI-SHOX — 49.95 €

Calzini protettivi con inserti in D30®
TAGLIE: S- M - L

enduro · DH · BMX

S (38-38) • M (39-42) • L (43-46)

RACER

TRIBE DISTRIBUTION s.r.l.
info@tribedistribution.com
STRADA STATALE 28 SUD,6/C
12080 - VICOFORTE (CN)
TEL. +39 0174 330 152
FAX +39 0174 553 449
www.tribedistribution.com